

Incomplete list of Nanodisc related publications, December 2016.

- (1) Carlson, J. W.; Jonas, A.; Sligar, S. G. Imaging and manipulation of high-density lipoproteins. *Biophys. J.* **1997**, *73*, 1184-1189.
- (2) Bayburt, T. H.; Carlson, J. W.; Sligar, S. G. Reconstitution and imaging of a membrane protein in a nanometer-size phospholipid bilayer. *Journal of Structural Biology* **1998**, *123*, 37-44.
- (3) Bayburt, T. H.; Carlson, J. W.; Sligar, S. G. Imaging and compressibility of membrane proteins in nanobilayers. *Book of Abstracts, 216th ACS National Meeting, Boston, August 23-27 1998*, BTEC-052.
- (4) Bayburt, T.; Carlson, J.; Godfrey, B.; Shank-Retzlaff, M.; Sligar, S. G. Structure, behavior, and manipulation of nanoscale biological assemblies. *Handbook of Nanostructured Materials and Nanotechnology* **2000**, *5*, 637-710.
- (5) Bayburt, T. H.; Carlson, J. W.; Sligar, S. G. Single Molecule Height Measurements on a Membrane Protein in Nanometer-Scale Phospholipid Bilayer Disks. *Langmuir* **2000**, *16*, 5993-5997.
- (6) Carlson, J. W.; Bayburt, T.; Sligar, S. G. Nanopatterning Phospholipid Bilayers. *Langmuir* **2000**, *16*, 3927-3931.
- (7) Bayburt, T. H.; Grinkova, Y. V.; Sligar, S. G. Self-assembly of discoidal phospholipid bilayer nanoparticles with membrane scaffold proteins. *Nano Letters* **2002**, *2*, 853-856.
- (8) Bayburt, T. H.; Sligar, S. G. Single-molecule height measurements on microsomal cytochrome P450 in nanometer-scale phospholipid bilayer disks. *Proc. Natl. Acad. Sci. U. S. A.* **2002**, *99*, 6725-6730.
- (9) Bayburt, T. H.; Sligar, S. G. Self-assembly of single integral membrane proteins into soluble nanoscale phospholipid bilayers. *Protein Science* **2003**, *12*, 2476-2481.
- (10) Civjan, N. R.; Bayburt, T. H.; Schuler, M. A.; Sligar, S. G. Direct solubilization of heterologously expressed membrane proteins by incorporation into nanoscale lipid bilayers. *BioTechniques* **2003**, *35*, 556-558,560,562-563.
- (11) Shaw, A. W.; McLean, M. A.; Sligar, S. G. Phospholipid phase transitions in homogeneous nanometer scale bilayer discs. *FEBS Lett.* **2003**, *556*, 260-264.
- (12) Sligar, S. G. Finding a single-molecule solution for membrane proteins. *Biochemical and Biophysical Research Communications* **2003**, *312*, 115-119.
- (13) Baas, B. J.; Denisov, I. G.; Sligar, S. G. Homotropic cooperativity of monomeric cytochrome P450 3A4 in a nanoscale native bilayer environment. *Archives of Biochemistry and Biophysics* **2004**, *430*, 218-228.
- (14) Denisov, I. G.; Grinkova, Y. V.; Lazarides, A. A.; Sligar, S. G. Directed Self-Assembly of Monodisperse Phospholipid Bilayer Nanodiscs with Controlled Size. *Journal of the American Chemical Society* **2004**, *126*, 3477-3487.
- (15) Duan, H.; Civjan, N. R.; Sligar, S. G.; Schuler, M. A. Co-incorporation of heterologously expressed Arabidopsis cytochrome P450 and P450 reductase into soluble nanoscale lipid bilayers. *Archives of Biochemistry and Biophysics* **2004**, *424*, 141-153.
- (16) Davydov, D. R.; Fernando, H.; Baas, B. J.; Sligar, S. G.; Halpert, J. R. Kinetics of Dithionite-Dependent Reduction of Cytochrome P450 3A4: Heterogeneity of the Enzyme Caused by Its Oligomerization. *Biochemistry* **2005**, *44*, 13902-13913.

- (17) Denisov, I. G.; McLean, M. A.; Shaw, A. W.; Grinkova, Y. V.; Sligar, S. G. Thermotropic Phase Transition in Soluble Nanoscale Lipid Bilayers. *Journal of Physical Chemistry B* **2005**, *109*, 15580-15588.
- (18) Ke, N.; Baudry, J.; Makris, T. M.; Schuler, M. A.; Sligar, S. G. A retinoic acid binding cytochrome P450: CYP120A1 from *Synechocystis* sp. PCC 6803. *Arch Biochem Biophys* **2005**, *436*, 110-120.
- (19) Shih, A. Y.; Denisov, I. G.; Phillips, J. C.; Sligar, S. G.; Schulten, K. Molecular dynamics simulations of discoidal bilayers assembled from truncated human lipoproteins. *Biophys. J.* **2005**, *88*, 548-556.
- (20) Bayburt, T. H.; Grinkova, Y. V.; Sligar, S. G. Assembly of single bacteriorhodopsin trimers in bilayer nanodiscs. *Archives of Biochemistry and Biophysics* **2006**, *450*, 215-222.
- (21) Boldog, T.; Grimme, S.; Li, M.; Sligar, S. G.; Hazelbauer, G. L. Nanodiscs separate chemoreceptor oligomeric states and reveal their signaling properties. *Proc. Natl. Acad. Sci. U. S. A.* **2006**, *103*, 11509-11514.
- (22) Denisov, I. G.; Grinkova, Y. V.; Baas, B. J.; Sligar, S. G. The ferrous-dioxygen intermediate in human cytochrome P450 3A4 - Substrate dependence of formation and decay kinetics. *J. Biol. Chem.* **2006**, *281*, 23313-23318.
- (23) Duan, H.; Schuler, M. A. Heterologous expression and strategies for encapsulation of membrane-localized plant P450s. *Phytochemistry Reviews* **2006**, *5*, 507-523.
- (24) Leitz, A. J.; Bayburt, T. H.; Barnakov, A. N.; Springer, B. A.; Sligar, S. G. Functional reconstitution of β 2-adrenergic receptors utilizing self-assembling nanodisc technology. *BioTechniques* **2006**, *40*, 601-602,604,606,608,610,612.
- (25) Li, Y.; Kijac, A. Z.; Sligar, S. G.; Rienstra, C. M. Structural analysis of nanoscale self-assembled discoidal lipid bilayers by solid-state NMR spectroscopy. *Biophys. J.* **2006**, *91*, 3819-3828.
- (26) Lu, D.; Aksimentiev, A.; Shih, A. Y.; Cruz-Chu, E.; Freddolino, P. L.; Arkhipov, A.; Schulten, K. The role of molecular modeling in bionanotechnology. *Physical Biology* **2006**, *3*, S40-S53.
- (27) Zhao, J.; Das, A.; Zhang, X. Y.; Schatz, G. C.; Sligar, S. G.; Van Duyne, R. P. Resonance surface plasmon spectroscopy: Low molecular weight substrate binding to cytochrome P450. *Journal of the American Chemical Society* **2006**, *128*, 11004-11005.
- (28) Alami, M.; Dalal, K.; Lelj-Garolla, B.; Sligar, S. G.; Duong, F. Nanodiscs unravel the interaction between the SecYEG channel and its cytosolic partner SecA. *EMBO Journal* **2007**, *26*, 1995-2004.
- (29) Bayburt, T. H.; Leitz, A. J.; Xie, G.; Oprian, D. D.; Sligar, S. G. Transducin Activation by Nanoscale Lipid Bilayers Containing One and Two Rhodopsins. *J. Biol. Chem.* **2007**, *282*, 14875-14881.
- (30) Boldog, T.; Li, M.; Hazelbauer, G. L. Using Nanodiscs to create water-soluble transmembrane chemoreceptors inserted in lipid bilayers. *Methods in Enzymology* **2007**, *423*, 317-335.
- (31) Chougnnet, A.; Grinkova, Y.; Ricard, D.; Sligar, S.; Woggon, W.-D. Fluorescent probes for rapid screening of potential drug-drug interactions at the CYP3A4 level. *ChemMedChem* **2007**, *2*, 717-724.
- (32) Cruz, F.; Edmondson, D. E. Kinetic properties of recombinant MAO-A on incorporation into phospholipid nanodisks. *Journal of Neural Transmission* **2007**, *114*, 699-702.
- (33) Das, A.; Grinkova, Y. V.; Sligar, S. G. Redox potential control by drug binding to cytochrome P 450 3A4. *Journal of the American Chemical Society* **2007**, *129*, 13778-13779.
- (34) Davydov, D. R.; Baas, B. J.; Sligar, S. G.; Halpert, J. R. Allosteric Mechanisms in Cytochrome P450 3A4 Studied by High-Pressure Spectroscopy: Pivotal Role of Substrate-Induced Changes in the Accessibility and Degree of Hydration of the Heme Pocket. *Biochemistry* **2007**, *46*, 7852-7864.
- (35) Denisov, I. G.; Baas, B. J.; Grinkova, Y. V.; Sligar, S. G. Cooperativity in cytochrome P450 3A4 - Linkages in substrate binding, spin state, uncoupling, and product formation. *J. Biol. Chem.* **2007**, *282*, 7066-7076.

- (36) Denisov, I. G.; Grinkova, Y. V.; McLean, M. A.; Sligar, S. G. The One-electron Autoxidation of Human Cytochrome P450 3A4. *J. Biol. Chem.* **2007**, *282*, 26865-26873.
- (37) Kijac, A. Z.; Li, Y.; Sligar, S. G.; Rienstra, C. M. Magic-Angle Spinning Solid-State NMR Spectroscopy of Nanodisc-Embedded Human CYP3A4. *Biochemistry* **2007**, *46*, 13696-13703.
- (38) Marin, V. L.; Bayburt, T. H.; Sligar, S. G.; Mrksich, M. Functional assays of membrane-bound proteins with SAMDI-TOF mass spectrometry. *Angewandte Chemie, International Edition* **2007**, *46*, 8796-8798.
- (39) Nath, A.; Atkins, W. M.; Sligar, S. G. Applications of Phospholipid Bilayer Nanodiscs in the Study of Membranes and Membrane Proteins. *Biochemistry* **2007**, *46*, 2059-2069.
- (40) Nath, A.; Grinkova, Y. V.; Sligar, S. G.; Atkins, W. M. Ligand Binding to Cytochrome P450 3A4 in Phospholipid Bilayer Nanodiscs: The Effect of Model Membranes. *J. Biol. Chem.* **2007**, *282*, 28309-28320.
- (41) Shaw, A. W.; Pureza, V. S.; Sligar, S. G.; Morrissey, J. H. The Local Phospholipid Environment Modulates the Activation of Blood Clotting. *J. Biol. Chem.* **2007**, *282*, 6556-6563.
- (42) Shih, A. Y.; Arkhipov, A.; Freddolino, P. L.; Sligar, S. G.; Schulten, K. Assembly of Lipids and Proteins into Lipoprotein Particles. *Journal of Physical Chemistry B* **2007**, *111*, 11095-11104.
- (43) Shih, A. Y.; Freddolino, P. L.; Sligar, S. G.; Schulten, K. Disassembly of Nanodiscs with Cholate. *Nano Letters* **2007**, *7*, 1692-1696.
- (44) Sligar, S. G.; Denisov, I. G. Understanding Cooperativity in Human P450 Mediated Drug-Drug Interactions. *Drug Metabolism Reviews* **2007**, *39*, 567-579.
- (45) Aksimentiev, A.; Brunner, R.; Cohen, J.; Comer, J.; Cruz-Chu, E.; Hardy, D.; Rajan, A.; Shih, A.; Sigalov, G.; Yin, Y. et al. Computer modeling in biotechnology: a partner in development. *Methods in Molecular Biology (Totowa, NJ, United States)* **2008**, *474*, 181-234.
- (46) Borch, J.; Torta, F.; Sligar, S. G.; Roepstorff, P. Nanodiscs for immobilization of lipid bilayers and membrane receptors: Kinetic analysis of cholera toxin binding to a glycolipid receptor. *Analytical Chemistry* **2008**, *80*, 6245-6252.
- (47) Chiu, M. L.; Tsang, C.; Grihalde, N.; MacWilliams, M. P. Over-expression, solubilization, and purification of G protein-coupled receptors for structural biology. *Comb Chem High Throughput Screen* **2008**, *11*, 439-462.
- (48) Goluch, E. D.; Shaw, A. W.; Sligar, S. G.; Liu, C. Microfluidic patterning of nanodisc lipid bilayers and multiplexed analysis of protein interaction. *Lab on a Chip* **2008**, *8*, 1723-1728.
- (49) Grinkova, Y. V.; Denisov, I. G.; Waterman, M. R.; Arase, M.; Kagawa, N.; Sligar, S. G. The ferrous-oxy complex of human aromatase. *Biochemical and Biophysical Research Communications* **2008**, *372*, 379-382.
- (50) Kuhnle, K.; Ke, N.; Cryle, M. J.; Sligar, S. G.; Schuler, M. A.; Schlichting, I. Crystal structures of substrate-free and retinoic acid-bound cyanobacterial cytochrome P450 CYP120A1. *Biochemistry* **2008**, *47*, 6552-6559.
- (51) Mi, L. Z.; Grey, M. J.; Nishida, N.; Walz, T.; Lu, C. F.; Springer, T. A. Functional and structural stability of the epidermal growth factor receptor in detergent micelles and phospholipid nanodiscs. *Biochemistry* **2008**, *47*, 10314-10323.
- (52) Morrissey, J. H.; Pureza, V.; Davis-Harrison, R. L.; Sligar, S. G.; Ohkubo, Y. Z.; Tajkhorshid, E. Blood clotting reactions on nanoscale phospholipid bilayers. *Thrombosis Research* **2008**, *122*, S23-S26.
- (53) Nath, A., 2008.
- (54) Nath, A.; Koo, P. K.; Rhoades, E.; Atkins, W. M. Allosteric Effects on Substrate Dissociation from Cytochrome P450 3A4 in Nanodiscs Observed by Ensemble and Single-Molecule Fluorescence Spectroscopy. *Journal of the American Chemical Society* **2008**, *130*, 15746-15747.

- (55) Qu, X.; Omar, L.; Le, T. B.; Tetley, L.; Bolton, K.; Chooi, K. W.; Wang, W.; Uchegbu, I. F. Polymeric amphiphile branching leads to rare nanodisc shaped planar self-assemblies. *Langmuir* **2008**, *24*, 9997-10004.
- (56) Shih, A. Y.; Freddolino, P. L.; Arkhipov, A.; Sligar, S. G.; Schulten, K. Molecular modeling of the structural properties and formation of high-density lipoprotein particles. *Curr. Top. Membr.* **2008**, *60*, 313-342.
- (57) Shih, A. Y.; Sligar, S. G.; Schulten, K. Molecular models need to be tested: The case of a solar flares discoidal HDL model. *Biophys. J.* **2008**, *94*, L87-L89.
- (58) Zhao, J.; Das, A.; Schatz, G. C.; Sligar, S. G.; Van Duyne, R. P. Resonance Localized Surface Plasmon Spectroscopy: Sensing Substrate and Inhibitor Binding to Cytochrome P450. *J. Phys. Chem. C* **2008**, *112*, 13084-13088.
- (59) Borch, J.; Hamann, T. The nanodisc: a novel tool for membrane protein studies. *Biological Chemistry* **2009**, *390*, 805-814.
- (60) Dalal, K.; Nguyen, N.; Alami, M.; Tan, J.; Moraes, T. F.; Lee, W. C.; Maurus, R.; Sligar, S. S.; Brayer, G. D.; Duong, F. Structure, Binding, and Activity of Syd, a SecY-interacting Protein. *J. Biol. Chem.* **2009**, *284*, 7897-7902.
- (61) Das, A.; Li, H.; Grinkova, Y.; Sibhatu, H.; Jamal, J.; Poulos, T. L.; Sligar, S. G. Understanding redox regulation in membrane associated cytochrome P450s and the FMN domain of nitric oxide synthase. *Abstracts of Papers, 238th ACS National Meeting, Washington, DC, United States, August 16-20, 2009* **2009**, TOXI-020.
- (62) Das, A.; Sligar, S. G. Modulation of the Cytochrome P450 Reductase Redox Potential by the Phospholipid Bilayer. *Biochemistry* **2009**, *48*, 12104-12112.
- (63) Denisov, I. G.; Frank, D. J.; Sligar, S. G. Cooperative properties of cytochromes P450. *Pharmacol. Ther.* **2009**, *124*, 151-167.
- (64) Frank, D. J.; Denisov, I. G.; Sligar, S. G. Mixing apples and oranges: Analysis of heterotropic cooperativity in cytochrome P450 3A4. *Archives of Biochemistry and Biophysics* **2009**, *488*, 146-152.
- (65) Gantt, S. L.; Denisov, I. G.; Grinkova, Y. V.; Sligar, S. G. The critical iron-oxygen intermediate in human aromatase. *Biochemical and Biophysical Research Communications* **2009**, *387*, 169-173.
- (66) Glueck, J. M.; Wittlich, M.; Feuerstein, S.; Hoffmann, S.; Willbold, D.; Koenig, B. W. Integral Membrane Proteins in Nanodiscs Can Be Studied by Solution NMR Spectroscopy. *Journal of the American Chemical Society* **2009**, *131*, 12060-12061.
- (67) Hartley, M. D. Glycosylation in pathogenic bacteria. *Abstracts of Papers, 238th ACS National Meeting, Washington, DC, United States, August 16-20, 2009* **2009**, MEDI-201.
- (68) Katzen, F.; Peterson, T. C.; Kudlicki, W. Membrane protein expression: no cells required. *Trends in Biotechnology* **2009**, *27*, 455-460.
- (69) Kijac, A. Z., 2009.
- (70) Lee, K.; Shin, J.-Y.; Yang, Y.-S.; Shin, J.-I.; Park, Y.-C.; Seo, J.-H.; Park, T. H.; Shin, C.-S.; Jin, Y.-S.; Kweon, D.-H. Towards a microarray of functional membrane proteins: Assembly of a surface-attachable, membrane-protein-anchored membrane structure using apolipoprotein A-1. *Enzyme and Microbial Technology* **2009**, *44*, 217-222.
- (71) Morrissey, J. H.; Pureza, V.; Davis-Harrison, R. L.; Sligar, S. G.; Rienstra, C. M.; Kijac, A. Z.; Ohkubo, Y. Z.; Tajkhorshid, E. Protein-membrane interactions: blood clotting on nanoscale bilayers. *Journal of Thrombosis and Haemostasis* **2009**, *7*, 169-172.
- (72) Nakano, M.; Fukuda, M.; Kudo, T.; Miyazaki, M.; Wada, Y.; Matsuzaki, N.; Endo, H.; Handa, T. Static and Dynamic Properties of Phospholipid Bilayer Nanodiscs. *Journal of the American Chemical Society* **2009**, *131*, 8308-8312.

- (73) Raschle, T.; Hiller, S.; Yu, T. Y.; Rice, A. J.; Walz, T.; Wagner, G. Structural and Functional Characterization of the Integral Membrane Protein VDAC-1 in Lipid Bilayer Nanodiscs. *Journal of the American Chemical Society* **2009**, *131*, 17777-17779.
- (74) Ritchie, T. K.; Grinkova, Y. V.; Bayburt, T. H.; Denisov, I. G.; Zolnerciks, J. K.; Atkins, W. M.; Sligar, S. G. Reconstitution of membrane proteins in phospholipid bilayer nanodiscs. *Methods in Enzymology* **2009**, *464*, 211-231.
- (75) Shenkarev, Z. O.; Lyukmanova, E. N.; Solozhenkin, O. I.; Gagnidze, I. E.; Nekrasova, O. V.; Chupin, V. V.; Tagaev, A. A.; Yakimenko, Z. A.; Ovchinnikova, T. V.; Kirpichnikov, M. P. et al. Lipid-protein nanodiscs: Possible application in high-resolution NMR investigations of membrane proteins and membrane-active peptides. *Biochemistry (Moscow)* **2009**, *74*, 756-765.
- (76) Shih, A. Y.; Sligar, S. G.; Schulten, K. Maturation of high-density lipoproteins. *Journal of the Royal Society Interface* **2009**, *6*, 863-871.
- (77) Abraham, S. J.; Muhamed, I.; Nolet, R.; Yeung, F.; Gaponenko, V. Expression, purification, and characterization of soluble K-Ras4B for structural analysis. *Protein Expr Purif* **2010**.
- (78) Alvarez, F. J. D., Orelle, C., Davidson, A.L. Functional Reconstitution of an ABC Transporter in Nanodiscs for Use in Electron Paramagnetic Resonance Spectroscopy. *Journal of the American Chemical Society* **2010**, *132*.
- (79) Amin, D. N.; Hazelbauer, G. L. The chemoreceptor dimer is the unit of conformational coupling and transmembrane signaling. *Journal of Bacteriology* **2010**, *192*, 1193-1200.
- (80) Bayburt, T. H.; Sligar, S. G. Membrane protein assembly into nanodiscs. *FEBS Lett.* **2010**, *584*, 1721-1727.
- (81) Bhattacharya, P.; Grimme, S.; Ganesh, B.; Gopisetty, A.; Sheng, J. R.; Martinez, O.; Jayarama, S.; Artinger, M.; Meriggioli, M.; Prabhakar, B. S. Nanodisc-Incorporated Hemagglutinin Provides Protective Immunity against Influenza Virus Infection. *J. Virol.* **2010**, *84*, 361-371.
- (82) Black, L. A.; Rosenberg, E.; Sharmin, A.; Ross, J. B. A. Determination of the Dynamic Motions of Lipid Membrane Bilayer Systems using a Novel Ruthenium Metal-Ligand Complex. *Abstracts, 66th Northwest Regional Meeting of the American Chemical Society, Portland, OR, United States, June 26-29 2010*, NORM-169.
- (83) Blanchette, C. D.; Fischer, N. O.; Corzett, M.; Bench, G.; Hoepflich, P. D. Kinetic analysis of his-tagged protein binding to nickel-chelating nanolipoprotein particles. *Bioconjug Chem* **2010**, *21*, 1321-1330.
- (84) Dalal, K.; Duong, F. Reconstitution of the SecY translocon in nanodiscs. *Methods in Molecular Biology (New York, NY, United States)* **2010**, *619*, 145-156.
- (85) Davydov, D. R.; Sineva, E. V.; Sistla, S.; Davydova, N. Y.; Frank, D. J.; Sligar, S. G.; Halpert, J. R. Electron transfer in the complex of membrane-bound human cytochrome P450 3A4 with the flavin domain of P450BM-3: The effect of oligomerization of the heme protein and intermittent modulation of the spin equilibrium. *Biochimica et Biophysica Acta, Bioenergetics* **2010**, *1797*, 378-390.
- (86) Frueh, V.; Zhou, Y.; Chen, D.; Loch, C.; Ab, E.; Grinkova, Y. N.; Verheij, H.; Sligar, S. G.; Bushweller, J. H.; Siegal, G. Application of Fragment-Based Drug Discovery to Membrane Proteins: Identification of Ligands of the Integral Membrane Enzyme DsbB. *Chem. Biol.* **2010**, *17*, 881-891.
- (87) Gridley, S.; Shrout, A. L.; Esposito, E. A. Challenges and approaches for assay development of membrane and membrane-associated proteins in drug discovery. *Progress in Molecular Biology and Translational Science* **2010**, *91*, 209-239.
- (88) Grinkova, Y. V.; Denisov, I. G.; Sligar, S. G. Engineering extended membrane scaffold proteins for self-assembly of soluble nanoscale lipid bilayers. *Protein Engineering, Design & Selection* **2010**, *23*, 843-848.

- (89) Grinkova, Y. V.; Denisov, I. G.; Sligar, S. G. Functional reconstitution of monomeric CYP3A4 with multiple cytochrome P450 reductase molecules in Nanodiscs. *Biochem Biophys Res Commun* **2010**, *398*, 194-198.
- (90) Ham, M.-H.; Choi, J. H.; Boghossian, A. A.; Jeng, E. S.; Graff, R. A.; Heller, D. A.; Chang, A. C.; Mattis, A.; Bayburt, T. H.; Grinkova, Y. V. et al. Photoelectrochemical complexes for solar energy conversion that chemically and autonomously regenerate. *Nature Chemistry* **2010**, *2*, 929-936.
- (91) Hebling, C. M.; Morgan, C. R.; Stafford, D. W.; Jorgenson, J. W.; Rand, K. D.; Engen, J. R. Conformational Analysis of Membrane Proteins in Phospholipid Bilayer Nanodiscs by Hydrogen Exchange Mass Spectrometry. *Analytical Chemistry (Washington, DC, United States)* **2010**, *82*, 5415-5419.
- (92) Ishmukhametov, R.; Hornung, T.; Spetzler, D.; Frasch, W. D. Direct observation of stepped proteolipid ring rotation in E. coli FOF1-ATP synthase. *EMBO Journal* **2010**, *29*, 3911-3923.
- (93) Katayama, H.; Wang, J.; Tama, F.; Chollet, L.; Gogol, E. P.; Collier, R. J.; Fisher, M. T. Three-dimensional structure of the anthrax toxin pore inserted into lipid nanodiscs and lipid vesicles. *Proc. Natl. Acad. Sci. U. S. A.* **2010**, *107*, 3453-3457, S3453/3451-S3453/3453.
- (94) Kijac, A.; Shih, A. Y.; Nieuwkoop, A. J.; Schulten, K.; Sligar, S. G.; Rienstra, C. M. Lipid-Protein Correlations in Nanoscale Phospholipid Bilayers Determined by Solid-State Nuclear Magnetic Resonance. *Biochemistry* **2010**, *49*, 9190-9198.
- (95) Ma, P.; Mohrlueder, J.; Schwarten, M.; Stoldt, M.; Singh, S. K.; Hartmann, R.; Pacheco, V.; Willbold, D. Preparation of a functional GABARAP-lipid conjugate in nanodiscs and its investigation by solution NMR spectroscopy. *ChemBioChem* **2010**, *11*, 1967-1970.
- (96) Miyazaki, M.; Tajima, Y.; Handa, T.; Nakano, M. Static and Dynamic Characterization of Nanodiscs with Apolipoprotein A-I and Its Model Peptide. *Journal of Physical Chemistry B* **2010**, *114*, 12376-12382.
- (97) Nath, A.; Trexler, A. J.; Koo, P.; Miranker, A. D.; Atkins, W. M.; Rhoades, E. Single-molecule fluorescence spectroscopy using phospholipid bilayer nanodiscs. *Methods in Enzymology* **2010**, *472*, 89-117.
- (98) Popot, J. L. Amphipols, nanodiscs, and fluorinated surfactants: three nonconventional approaches to studying membrane proteins in aqueous solutions. *Annu Rev Biochem* **2010**, *79*, 737-775.
- (99) Sheng, J. R.; Grimme, S.; Bhattacharya, P.; Stowell, M. H. B.; Artinger, M.; Prabahakar, B. S.; Meriggioli, M. N. In vivo adsorption of autoantibodies in myasthenia gravis using Nanodisc-incorporated acetylcholine receptor. *Experimental Neurology* **2010**, *225*, 320-327.
- (100) Shenkarev, Z. O.; Paramonov, A. S.; Lyukmanova, E. N.; Shingarova, L. N.; Yakimov, S. A.; Dubinnyi, M. A.; Chupin, V. V.; Kirpichnikov, M. P.; Blommers, M. J. J.; Arseniev, A. S. NMR Structural and Dynamical Investigation of the Isolated Voltage-Sensing Domain of the Potassium Channel KvAP: Implications for Voltage Gating. *Journal of the American Chemical Society* **2010**, *132*, 5630-5637.
- (101) Skar-Gislinge, N.; Simonsen, J. B.; Mortensen, K.; Feidenhans'l, R.; Sligar, S. G.; Moeller, B. L.; Bjoernholm, T.; Arleth, L. Elliptical Structure of Phospholipid Bilayer Nanodiscs Encapsulated by Scaffold Proteins: Casting the Roles of the Lipids and the Protein. *Journal of the American Chemical Society* **2010**, *132*, 13713-13722.
- (102) Tark, S.-H.; Das, A.; Sligar, S.; Dravid, V. P. Nanomechanical detection of cholera toxin using microcantilevers functionalized with ganglioside nanodiscs. *Nanotechnology* **2010**, *21*, 435502/435501-435502/435507.
- (103) Tsukamoto, H.; Sinha, A.; DeWitt, M.; Farrens, D. L. Monomeric rhodopsin is the minimal functional unit required for arrestin binding. *J Mol Biol* **2010**, *399*, 501-511.

- (104) Yasurhara, K.; Miki, S.; Kikuchi, J. Fabrication of well-defined organic-inorganic hybrid nanodiscs by the self-assembly of organoalkoxysilane lipid. *Pacificchem 2010, International Chemical Congress of Pacific Basin Societies, Honolulu, HI, United States, December 15-20, 2010* **2010**, MATNANO-201.
- (105) Ye, F.; Hu, G. Q.; Taylor, D.; Ratnikov, B.; Bobkov, A. A.; McLean, M. A.; Sligar, S. G.; Taylor, K. A.; Ginsberg, M. H. Recreation of the terminal events in physiological integrin activation. *J. Cell Biol.* **2010**, *188*, 157-173.
- (106) Bayburt, T. H.; Vishnivetskiy, S. A.; McLean, M. A.; Morizumi, T.; Huang, C.-C.; Tesmer, J. J. G.; Ernst, O. P.; Sligar, S. G.; Gurevich, V. V. Monomeric Rhodopsin is Sufficient for Normal Rhodopsin Kinase (GRK1) Phosphorylation and Arrestin-1 Binding. *J. Biol. Chem.* **2011**, *286*, 1420-1428.
- (107) Bi, Y.-c.; Wang, Y.-j.; Wang, J.-f. The nanodiscs: a novel tool to study membrane protein structure and function. *Bopuxue Zazhi* **2011**, *28*, 177-189.
- (108) Boettcher, J. M.; Davis-Harrison, R. L.; Clay, M. C.; Nieuwkoop, A. J.; Ohkubo, Y. Z.; Tajkhorshid, E.; Morrissey, J. H.; Rienstra, C. M. Atomic View of Calcium-Induced Clustering of Phosphatidylserine in Mixed Lipid Bilayers. *Biochemistry* **2011**, *50*, 2264-2273.
- (109) Boghossian, A. A.; Choi, J. H.; Ham, M.-H.; Strano, M. S. Dynamic and reversible self-assembly of photoelectrochemical complexes based on lipid bilayer disks, photosynthetic reaction centers, and single-walled carbon nanotubes. *Langmuir* **2011**, *27*, 1599-1609.
- (110) Borch, J.; Roepstorff, P.; Moeller-Jensen, J. Nanodisc-based co-immunoprecipitation for mass spectrometric identification of membrane-interacting proteins. *Molecular and Cellular Proteomics* **2011**, *10*, O110 006775, 006779 pp.
- (111) Brewer, K. D.; Li, W.; Horne, B. E.; Rizo, J. Reluctance to membrane binding enables accessibility of the synaptobrevin SNARE motif for SNARE complex formation. *Proc. Natl. Acad. Sci. U. S. A.* **2011**, *108*, 12723-12728, S12723/12721-S12723/12722.
- (112) Calinski, D. M.; Edwald, E.; Sunahara, R. K. In *G Protein-Coupled Receptors: From Structure to Function. RCS Drug Discovery Series*; Giraldo, J., Pin, J.-P., Eds.; Royal Society of Chemistry, 2011; Vol. 8.
- (113) Cross, T. A.; Sharma, M.; Yi, M.; Zhou, H. X. Influence of solubilizing environments on membrane protein structures. *Trends Biochem Sci* **2011**, *36*, 117-125.
- (114) Denisov, I. G.; Sligar, S. G. Cytochromes P 450 in nanodiscs. *Biochimica et Biophysica Acta, Proteins and Proteomics* **2011**, *1814*, 223-229.
- (115) Donaldson, S. H., Jr.; Lee, T., Jr.; Chmelka, B. F.; Israelachvili, J. N. General hydrophobic interaction potential for surfactant/lipid bilayers from direct force measurements between light-modulated bilayers. *Proc. Natl. Acad. Sci. U. S. A.* **2011**, *108*, 15699-15704, S15699/15691-S15699/15692.
- (116) Dutt, M.; Kuksenok, O.; Nayhouse, M. J.; Little, S. R.; Balazs, A. C. Modeling the Self-Assembly of Lipids and Nanotubes in Solution: Forming Vesicles and Bicelles with Transmembrane Nanotube Channels. *ACS Nano* **2011**, *5*, 4769-4782.
- (117) Frank, D. J.; Denisov, I. G.; Sligar, S. G. Analysis of Heterotropic Cooperativity in Cytochrome P450 3A4 Using α -Naphthoflavone and Testosterone. *J. Biol. Chem.* **2011**, *286*, 5540-5545.
- (118) Frauenfeld, J.; Gumbart, J.; van der Sluis, E. O.; Funes, S.; Gartmann, M.; Beatrix, B.; Mielke, T.; Berninghausen, O.; Becker, T.; Schulten, K. et al. Cryo-EM structure of the ribosome-SecYE complex in the membrane environment. *Nature Structural & Molecular Biology* **2011**, *18*, 614-621.
- (119) Gao, T.; Blanchette, C. D.; He, W.; Bourguet, F.; Ly, S.; Katzen, F.; Kudlicki, W. A.; Henderson, P. T.; Laurence, T. A.; Huser, T. et al. Characterizing diffusion dynamics of a membrane protein

- associated with nanolipoproteins using fluorescence correlation spectroscopy. *Protein Sci* **2011**, *20*, 437-447.
- (120) Glueck, J. M.; Koenig, B. W.; Willbold, D. Nanodiscs allow the use of integral membrane proteins as analytes in surface plasmon resonance studies. *Analytical Biochemistry* **2011**, *408*, 46-52.
- (121) Goldsmith, B. R.; Mitala, J. J., Jr.; Josue, J.; Castro, A.; Lerner, M. B.; Bayburt, T. H.; Khamis, S. M.; Jones, R. A.; Brand, J. G.; Sligar, S. G. et al. Biomimetic Chemical Sensors Using Nanoelectronic Readout of Olfactory Receptor Proteins. *ACS Nano* **2011**, *5*, 5408-5416.
- (122) Kawai, T.; Caaveiro, J. M.; Abe, R.; Katagiri, T.; Tsumoto, K. Catalytic activity of MsbA reconstituted in nanodisc particles is modulated by remote interactions with the bilayer. *FEBS Lett* **2011**, *585*, 3533-3537.
- (123) Kobashigawa, Y.; Harada, K.; Yoshida, N.; Ogura, K.; Inagaki, F. Phosphoinositide-incorporated lipid-protein nanodiscs: A tool for studying protein-lipid interactions. *Analytical Biochemistry* **2011**, *410*, 77-83.
- (124) Li, M.; Hazelbauer, G. L. Core unit of chemotaxis signaling complexes. *Proc. Natl. Acad. Sci. U. S. A.* **2011**, *108*, 9390-9395.
- (125) Luthra, A.; Denisov, I. G.; Sligar, S. G. Temperature Derivative Spectroscopy To Monitor the Autoxidation Decay of Cytochromes P450. *Analytical Chemistry (Washington, DC, United States)* **2011**, *83*, 5394-5399.
- (126) Mak, P. J.; Denisov, I. G.; Grinkova, Y. V.; Sligar, S. G.; Kincaid, J. R. Defining CYP3A4 Structural Responses to Substrate Binding. Raman Spectroscopic Studies of a Nanodisc-Incorporated Mammalian Cytochrome P450. *Journal of the American Chemical Society* **2011**, *133*, 1357-1366.
- (127) Manohar, C.; Narayanan, J. Edge-edge attractions in surfactant nanodiscs: Implications. *Chemical Physics Letters* **2011**, *517*, 176-179.
- (128) Morgan, C. R.; Hebling, C. M.; Rand, K. D.; Stafford, D. W.; Jorgenson, J. W.; Engen, J. R. Conformational transitions in the membrane scaffold protein of phospholipid bilayer nanodiscs. *Molecular and Cellular Proteomics* **2011**, *10*, M111 010876, 010811 pp.
- (129) Nieh, M.-P.; Dolinar, P.; Kucerka, N.; Kline, S. R.; Debeer-Schmitt, L. M.; Littrell, K. C.; Katsaras, J. Formation of Kinetically Trapped Nanoscopic Unilamellar Vesicles from Metastable Nanodiscs. *Langmuir* **2011**, *27*, 14308-14316.
- (130) Pandit, A.; Shirzad-Wasei, N.; Wlodarczyk, L. M.; van Roon, H.; Boekema, E. J.; Dekker, J. P.; de Grip, W. J. Assembly of the Major Light-Harvesting Complex II in Lipid Nanodiscs. *Biophys. J.* **2011**, *101*, 2507-2515.
- (131) Park, K.-H.; Billon-Denis, E.; Dahmane, T.; Lebaupain, F.; Pucci, B.; Breyton, C.; Zito, F. In the cauldron of cell-free synthesis of membrane proteins: playing with new surfactants. *New Biotechnology* **2011**, *28*, 255-261.
- (132) Park, S. H.; Berkamp, S.; Cook, G. A.; Chan, M. K.; Viadiu, H.; Opella, S. J. Nanodiscs versus Macrodiscs for NMR of Membrane Proteins. *Biochemistry* **2011**, *50*, 8983-8985.
- (133) Ranaghan, M. J.; Schwall, C. T.; Alder, N. N.; Birge, R. R. Green proteorhodopsin reconstituted into nanoscale phospholipid bilayers (nanodiscs) as photoactive monomers. *J Am Chem Soc* **2011**, *133*, 18318-18327.
- (134) Rasmussen, S. G.; Choi, H. J.; Fung, J. J.; Pardon, E.; Casarosa, P.; Chae, P. S.; Devree, B. T.; Rosenbaum, D. M.; Thian, F. S.; Kobilka, T. S. et al. Structure of a nanobody-stabilized active state of the β 2 adrenoceptor. *Nature* **2011**, *469*, 175-180.
- (135) Ritchie, N. K., 2011.
- (136) Ritchie, T. K.; Kwon, H.; Atkins, W. M. Conformational Analysis of Human ATP-binding Cassette Transporter ABCB1 in Lipid Nanodiscs and Inhibition by the Antibodies MRK16 and UIC2. *J. Biol. Chem.* **2011**, *286*, 39489-39496.

- (137) Rosenbaum, D. M.; Zhang, C.; Lyons, J. A.; Holl, R.; Aragao, D.; Arlow, D. H.; Rasmussen, S. G.; Choi, H. J.; Devree, B. T.; Sunahara, R. K. et al. Structure and function of an irreversible agonist-beta(2) adrenoceptor complex. *Nature* **2011**, *469*, 236-240.
- (138) Skar-Gislinge, N.; Arleth, L. Small-angle scattering from phospholipid nanodiscs: derivation and refinement of a molecular constrained analytical model form factor. *Physical Chemistry Chemical Physics* **2011**, *13*, 3161-3170.
- (139) Tsukamoto, H.; Szundi, I.; Lewis, J. W.; Farrens, D. L.; Kliger, D. S. Rhodopsin in Nanodiscs Has Native Membrane-like Photointermediates. *Biochemistry* **2011**, *50*, 5086-5091.
- (140) Wadsater, M.; Simonsen, J. B.; Lauridsen, T.; Tveten, E. G.; Naur, P.; Bjoernholm, T.; Wacklin, H.; Mortensen, K.; Arleth, L.; Feidenhans'l, R. et al. Aligning Nanodiscs at the Air-Water Interface, a Neutron Reflectivity Study. *Langmuir* **2011**, *27*, 15065-15073.
- (141) Warschawski, D. E.; Arnold, A. A.; Beaugrand, M.; Gravel, A.; Chartrand, E.; Marcotte, I. Choosing membrane mimetics for NMR structural studies of transmembrane proteins. *Biochimica et Biophysica Acta, Biomembranes* **2011**, *1808*, 1957-1974.
- (142) Yan, R.; Mo, X.; Paredes, A. M.; Dai, K.; Lanza, F.; Cruz, M. A.; Li, R. Reconstitution of the Platelet Glycoprotein Ib-IX Complex in Phospholipid Bilayer Nanodiscs. *Biochemistry* **2011**, *50*, 10598-10606.
- (143) Yasuhara, K.; Miki, S.; Nakazono, H.; Ohta, A.; Kikuchi, J.-i. Synthesis of organic-inorganic hybrid bicelles-lipid bilayer nanodiscs encompassed by siloxane surfaces. *Chemical Communications (Cambridge, United Kingdom)* **2011**, *47*, 4691-4693.
- (144) Abdine, A.; Park, K. H.; Warschawski, D. E. Cell-free membrane protein expression for solid-state NMR. *Methods Mol Biol* **2012**, *831*, 85-109.
- (145) Ahn, Y. N.; Ban, Y.-M.; Kopelevich, D. I. Static and Dynamic barriers to molecular transport across self-assembly membranes. *PMSE Preprints* **2012**, No pp given.
- (146) Amin, D. N.; Hazelbauer, G. L. Influence of membrane lipid composition on a transmembrane bacterial chemoreceptor. *J. Biol. Chem.* **2012**, *287*, 41697-41705.
- (147) Baneres, J. L.; Mouillac, B. [Handling G-protein-coupled receptors: expression, purification and in vitro stabilization]. *Med Sci (Paris)* **2012**, *28*, 837-844.
- (148) Bao, H.; Duong, F. Discovery of an auto-regulation mechanism for the maltose ABC transporter MalFGK2. *PLoS One* **2012**, *7*, e34836.
- (149) Bao, H.; Duong, F.; Chan, C. S. A step-by-step method for the reconstitution of an ABC transporter into nanodisc lipid particles. *Journal of Visualized Experiments* **2012**, E3910/3911-E3910/3916.
- (150) Berthaud, A.; Manzi, J.; Perez, J.; Mangelot, S. Modeling Detergent Organization around Aquaporin-0 Using Small-Angle X-ray Scattering. *Journal of the American Chemical Society* **2012**, *134*, 10080-10088.
- (151) Burgess, B. L.; He, Y.; Baker, M. M.; Luo, B.; Carroll, S. F.; Forte, T. M.; Oda, M. N. NanoDisk containing super aggregated amphotericin B: a high therapeutic index antifungal formulation with enhanced potency. *International Journal of Nanomedicine* **2012**, *8*, 4733-4743, 4711 pp.
- (152) Dalal, K.; Chan, C. S.; Sligar, S. G.; Duong, F. Two copies of the SecY channel and acidic lipids are necessary to activate the SecA translocation ATPase. *Proc Natl Acad Sci U S A* **2012**, *109*, 4104-4109.
- (153) Damian, M.; Marie, J.; Leyris, J. P.; Fehrentz, J. A.; Verdier, P.; Martinez, J.; Baneres, J. L.; Mary, S. High constitutive activity is an intrinsic feature of ghrelin receptor protein: a study with a functional monomeric GHS-R1a receptor reconstituted in lipid discs. *J Biol Chem* **2012**, *287*, 3630-3641.
- (154) Denisov, I. G.; Shih, A. Y.; Sligar, S. G. Structural differences between soluble and membrane bound cytochrome P450s. *Journal of Inorganic Biochemistry* **2012**.

- (155) El Moustaine, D.; Granier, S.; Doumazane, E.; Scholler, P.; Rahmeh, R.; Bron, P.; Mouillac, B.; Baneres, J.-L.; Rondard, P.; Pin, J.-P. Distinct roles of metabotropic glutamate receptor dimerization in agonist activation and G-protein coupling. *Proceedings of the National Academy of Sciences of the United States of America, Early Edition* **2012**, 1-6, 6 pp.
- (156) Gai, L.; Maerzke, K.; Cummings, P. T.; McCabe, C. A Wang-Landau study of a lattice model for lipid bilayer self-assembly. *Journal of Chemical Physics* **2012**, *137*, 144901/144901-144901/144908.
- (157) Gao, T.; Petrlova, J.; He, W.; Huser, T.; Kudlick, W.; Voss, J.; Coleman, M. A. Characterization of de novo synthesized GPCRs supported in nanolipoprotein discs. *PLoS One* **2012**, *7*, e44911.
- (158) Hernandez-Rocamora, V. M.; Garcia-Montanes, C.; Rivas, G.; Llorca, O. Reconstitution of the Escherichia coli cell division ZipA-FtsZ complexes in nanodiscs as revealed by electron microscopy. *Journal of Structural Biology* **2012**, *180*, 531-538.
- (159) Hernandez-Rocamora, V. M.; Reija, B.; Garcia, C.; Natale, P.; Alfonso, C.; Minton, A. P.; Zorrilla, S.; Rivas, G.; Vicente, M. Dynamic Interaction of the Escherichia coli Cell Division ZipA and FtsZ Proteins Evidenced in Nanodiscs. *J. Biol. Chem.* **2012**, *287*, 30097-30104.
- (160) Huang, M.-J.; Kapral, R.; Mikhailov, A. S.; Chen, H.-Y. Coarse-grain model for lipid bilayer self-assembly and dynamics: Multiparticle collision description of the solvent. *Journal of Chemical Physics* **2012**, *137*, 055101/055101-055101/055110.
- (161) Inagaki, S.; Ghirlando, R.; White, J. F.; Gvozdenovic-Jeremic, J.; Northup, J. K.; Grishammer, R. Modulation of the Interaction between Neurotensin Receptor NTS1 and Gq Protein by Lipid. *Journal of Molecular Biology* **2012**, *417*, 95-111.
- (162) Kim, M.; Vishnivetskiy, S. A.; Van Eps, N.; Alexander, N. S.; Cleghorn, W. M.; Zhan, X.; Hanson, S. M.; Morizumi, T.; Ernst, O. P.; Meiler, J. et al. Conformation of receptor-bound visual arrestin. *Proc Natl Acad Sci U S A* **2012**, *109*, 18407-18412.
- (163) Lyukmanova, E. N.; Shenkarev, Z. O.; Khabibullina, N. F.; Kopeina, G. S.; Shulepko, M. A.; Paramonov, A. S.; Mineev, K. S.; Tikhonov, R. V.; Shingarova, L. N.; Petrovskaya, L. E. et al. Lipid-protein nanodiscs for cell-free production of integral membrane proteins in a soluble and folded state: Comparison with detergent micelles, bicelles and liposomes. *Biochimica et Biophysica Acta, Biomembranes* **2012**, *1818*, 349-358.
- (164) Marsh, D. Thermodynamics of phospholipid self-assembly. *Biophys. J.* **2012**, *102*, 1079-1087.
- (165) Marty, M. T.; Das, A.; Sligar, S. G. Ultra-thin layer MALDI mass spectrometry of membrane proteins in nanodiscs. *Analytical and Bioanalytical Chemistry* **2012**, *402*, 721-729.
- (166) Marty, M. T.; Zhang, H.; Cui, W.; Blankenship, R. E.; Gross, M. L.; Sligar, S. G. Native mass spectrometry characterization of intact nanodisc lipoprotein complexes. *Anal Chem* **2012**, *84*, 8957-8960.
- (167) Mary, S.; Damian, M.; Louet, M.; Floquet, N.; Fehrentz, J. A.; Marie, J.; Martinez, J.; Baneres, J. L. Ligands and signaling proteins govern the conformational landscape explored by a G protein-coupled receptor. *Proc Natl Acad Sci U S A* **2012**, *109*, 8304-8309.
- (168) Morrissey, J. H.; Tajkhorshid, E.; Sligar, S. G.; Rienstra, C. M. Tissue factor/factor VIIa complex: role of the membrane surface. *Thromb Res* **2012**, *129 Suppl 2*, S8-10.
- (169) Moustaine, D. E.; Granier, S.; Doumazane, E.; Scholler, P.; Rahmeh, R.; Bron, P.; Mouillac, B.; Baneres, J.-L.; Rondard, P.; Pin, J.-P. Distinct roles of metabotropic glutamate receptor dimerization in agonist activation and G-protein couplin. *Proc. Natl. Acad. Sci. U. S. A.* **2012**, *109*, 16342-16347, S16342/16341-S16342/16349.
- (170) Mueller-Lucks, A.; Bock, S.; Wu, B.; Beitz, E. Fluorescent in situ folding control for rapid optimization of cell-free membrane protein synthesis. *PLoS One* **2012**, *7*, e42186.
- (171) Murakami, T. Phospholipid nanodisc engineering for drug delivery systems. *Biotechnol J* **2012**, *7*, 762-767.

- (172) Näsvisk Öjemyr, L.; von Ballmoos, C.; Gennis, R. B.; Sligar, S. G.; Brzezinski, P. Reconstitution of respiratory oxidases in membrane nanodiscs for investigation of proton-coupled electron transfer. *FEBS Lett.* **2012**, *586*, 640-645.
- (173) Nordin, D.; Yarkoni, O.; Donlon, L.; Savinykh, N.; Frankel, D. Protein directed assembly of lipids. *Chemical Communications (Cambridge, United Kingdom)* **2012**, *48*, 672-674.
- (174) Roos, C.; Zocher, M.; Mueller, D.; Muench, D.; Schneider, T.; Sahl, H.-G.; Scholz, F.; Wachtveitl, J.; Ma, Y.; Proverbio, D. et al. Characterization of co-translationally formed nanodisc complexes with small multidrug transporters, proteorhodopsin and with the E. coli MraY translocase. *Biochimica et Biophysica Acta, Biomembranes* **2012**, *1818*, 3098-3106.
- (175) Schwall, C. T.; Greenwood, V. L.; Alder, N. N. The stability and activity of respiratory Complex II is cardiolipin-dependent. *Biochimica et Biophysica Acta, Bioenergetics* **2012**, *1817*, 1588-1596.
- (176) Serebryany, E.; Zhu, G. A.; Yan, E. C. Y. Artificial membrane-like environments for in vitro studies of purified G-protein coupled receptors. *Biochimica et Biophysica Acta, Biomembranes* **2012**, *1818*, 225-233.
- (177) Shi, L.; Shen, Q. T.; Kiel, A.; Wang, J.; Wang, H. W.; Melia, T. J.; Rothman, J. E.; Pincet, F. SNARE proteins: one to fuse and three to keep the nascent fusion pore open. *Science* **2012**, *335*, 1355-1359.
- (178) Sobhanifar, S.; Reckel, S.; Loehr, F.; Bernhard, F.; Doetsch, V. Structural investigation of cell-free expressed membrane proteins. *NMR of Biomolecules* **2012**, 497-508.
- (179) Wadsaeter, M.; Laursen, T.; Singha, A.; Hatzakis, N. S.; Stamou, D.; Barker, R.; Mortensen, K.; Feidenhans'l, R.; Moller, B. L.; Cardenas, M. Monitoring Shifts in the Conformation Equilibrium of the Membrane Protein Cytochrome P450 Reductase (POR) in Nanodiscs. *J. Biol. Chem.* **2012**, *287*, 34596-34603.
- (180) Wang, J.; Sasaki, J.; Tsai, A.-I.; Spudich, J. L. HAMP Domain Signal Relay Mechanism in a Sensory Rhodopsin-Transducer Complex. *J. Biol. Chem.* **2012**, *287*, 21316-21325.
- (181) Wang, S.; Jing, B.; Zhu, Y. Single molecule diffusion on hard, soft and fluid surfaces. *RSC Advances* **2012**, *2*, 3835-3843.
- (182) Wu, Z. C.; de Keyser, J.; Kedrov, A.; Driessen, A. J. M. Competitive Binding of the SecA ATPase and Ribosomes to the SecYEG Translocon. *J. Biol. Chem.* **2012**, *287*, 7885-7895.
- (183) Yasuhara, K.; Hayashi, H.; Kikuchi, J.-i. Thermal stability of synthetic lipid bicelles encompassed by siloxane surfaces as organic-inorganic hybrid nanodiscs. *Chemistry Letters* **2012**, *41*, 1223-1225.
- (184) Yokogawa, M.; Kobashigawa, Y.; Yoshida, N.; Ogura, K.; Harada, K.; Inagaki, F. NMR Analyses of the Interaction between the FYVE Domain of Early Endosome Antigen 1 (EEA1) and Phosphoinositide Embedded in a Lipid Bilayer. *J. Biol. Chem.* **2012**, *287*, 34936-34945.
- (185) Yu, T.-Y.; Raschle, T.; Hiller, S.; Wagner, G. Solution NMR spectroscopic characterization of human VDAC-2 in detergent micelles and lipid bilayer nanodiscs. *Biochim. Biophys. Acta, Biomembranes* **2012**, *1818*, 1562-1569.
- (186) Zhang, X. X.; Chan, C. S.; Bao, H.; Fang, Y.; Foster, L. J.; Duong, F. Nanodiscs and SILAC-Based Mass Spectrometry to Identify a Membrane Protein Interactome. *Journal of Proteome Research* **2012**, *11*, 1454-1459.
- (187) Zhang, Y.; Liu, L.; Daneshfar, R.; Kitova, E. N.; Li, C.; Jia, F.; Cairo, C. W.; Klassen, J. S. Protein-Glycosphingolipid Interactions Revealed Using Catch-and-Release Mass Spectrometry. *Anal. Chem. (Washington, DC, U. S.)* **2012**, *84*, 7618-7621.
- (188) Zocher, M.; Roos, C.; Wegmann, S.; Bosshart, P. D.; Dotsch, V.; Bernhard, F.; Muller, D. J. Single-Molecule Force Spectroscopy from Nanodiscs: An Assay to Quantify Folding, Stability, and Interactions of Native Membrane Proteins. *ACS Nano* **2012**, *6*, 961-971.

- (189) Akkaladevi, N.; Hinton-Chollet, L.; Katayama, H.; Mitchell, J.; Szerszen, L.; Mukherjee, S.; Gogol, E. P.; Pentelute, B. L.; Collier, R. J.; Fisher, M. T. Assembly of anthrax toxin pore: Lethal-factor complexes into lipid nanodiscs. *Protein Science* **2013**, *22*, 492-501.
- (190) Bao, H.; Dalal, K.; Wang, V.; Rouiller, I.; Duong, F. The maltose ABC transporter: Action of membrane lipids on the transporter stability, coupling and ATPase activity. *Biochim Biophys Acta* **2013**.
- (191) Bao, H.; Duong, F. Phosphatidylglycerol Directs Binding and Inhibitory Action of EIAGlc Protein on the Maltose Transporter. *J. Biol. Chem.* **2013**, *288*, 23666-23674.
- (192) Baylon, J. L.; Lenov, I. L.; Sligar, S. G.; Tajkhorshid, E. Characterizing the Membrane-Bound State of Cytochrome P450 3A4: Structure, Depth of Insertion, and Orientation. *Journal of the American Chemical Society* **2013**, *135*, 8542-8551.
- (193) Beales, P. A.; Geerts, N.; Inampudi, K. K.; Shigematsu, H.; Wilson, C. J.; Vanderlick, T. K. Reversible Assembly of Stacked Membrane Nanodiscs with Reduced Dimensionality and Variable Periodicity. *Journal of the American Chemical Society* **2013**, *135*, 3335-3338.
- (194) Bordignon, E.; Polyhach, Y. EPR techniques to probe insertion and conformation of spin-labeled proteins in lipid bilayers. *Methods in Molecular Biology (New York, NY, United States)* **2013**, *974*, 329-355.
- (195) Chng, C.-P. Effect of simulation temperature on phospholipid bilayer-vesicle transition studied by coarse-grained molecular dynamics simulations. *Soft Matter* **2013**, *9*, 7294-7301.
- (196) Choi, W.-S.; Rice, W. J.; Stokes, D. L.; Collier, B. S. Three-dimensional reconstruction of intact human integrin $\alpha\text{IIb}\beta\text{3}$: new implications for activation-dependent ligand binding. *Blood* **2013**, *122*, 4165-4171.
- (197) Chung, K. Y.; Day, P. W.; Velez-Ruiz, G.; Sunahara, R. K.; Kobilka, B. K. Identification of GPCR-interacting cytosolic proteins using HDL particles and mass spectrometry-based proteomic approach. *PLoS One* **2013**, *8*, e54942.
- (198) Clifton, L. A.; Neylon, C.; Lakey, J. H. Examining protein-lipid complexes using neutron scattering. *Methods in Molecular Biology (New York, NY, United States)* **2013**, *974*, 119-150.
- (199) Das, A.; McDougle, D. R.; Palaria, A.; Magnetta, E.; Meling, D. Functional studies of N-terminally modified CYP2J2 epoxygenase in model lipid bilayers. *Abstracts of Papers, 246th ACS National Meeting & Exposition, Indianapolis, IN, United States, September 8-12, 2013* **2013**, TOXI-115.
- (200) Das, A.; Sri Varma, S.; Mularczyk, C. Elucidating the function of thromboxane synthase in model lipid bilayers. *Abstracts of Papers, 246th ACS National Meeting & Exposition, Indianapolis, IN, United States, September 8-12, 2013* **2013**, BIOL-56.
- (201) Etzkorn, M.; Raschle, T.; Hagn, F.; Gelev, V.; Rice, A. J.; Walz, T.; Wagner, G. Cell-free Expressed Bacteriorhodopsin in Different Soluble Membrane Mimetics: Biophysical Properties and NMR Accessibility. *Structure* **2013**, *21*, 394-401.
- (202) Fischer, N. O.; Rasley, A.; Corzett, M.; Hwang, M. H.; Hoepflich, P. D.; Blanchette, C. D. Colocalized Delivery of Adjuvant and Antigen Using Nanolipoprotein Particles Enhances the Immune Response to Recombinant Antigens. *Journal of the American Chemical Society* **2013**, *135*, 2044-2047.
- (203) Geerts, N.; Schreck, C. F.; Beales, P. A.; Shigematsu, H.; O'Hern, C. S.; Vanderlick, T. K. Using DNA-Driven Assembled Phospholipid Nanodiscs as a Scaffold for Gold Nanoparticle Patterning. *Langmuir* **2013**, *29*, 13089-13094.
- (204) Gingras, A. R.; Ye, F.; Ginsberg, M. H. Reconstructing integrin activation in vitro. *Methods Mol Biol* **2013**, *1046*, 1-17.
- (205) Gogol, E. P.; Akkaladevi, N.; Szerszen, L.; Mukherjee, S.; Chollet-Hinton, L.; Katayama, H.; Pentelute, B. L.; Collier, R. J.; Fisher, M. T. Three dimensional structure of the anthrax toxin

- translocon-lethal factor complex by cryo-electron microscopy. *Protein Science* **2013**, *22*, 586-594.
- (206) Gregory, M.; Mak, P. J.; Sligar, S. G.; Kincaid, J. R. Differential Hydrogen Bonding in Human CYP17 Dictates Hydroxylation versus Lyase Chemistry. *Angewandte Chemie, International Edition* **2013**, *52*, 5342-5345.
- (207) Gregory, M. C.; Denisov, I. G.; Grinkova, Y. V.; Khatri, Y.; Sligar, S. G. Kinetic Solvent Isotope Effect in Human P450 CYP17A1-Mediated Androgen Formation: Evidence for a Reactive Peroxoanion Intermediate. *Journal of the American Chemical Society* **2013**, *135*, 16245-16247.
- (208) Grinkova, Y. V.; Denisov, I. G.; McLean, M. A.; Sligar, S. G. Oxidase uncoupling in heme monooxygenases: Human cytochrome P450 CYP3A4 in Nanodiscs. *Biochemical and Biophysical Research Communications* **2013**, *430*, 1223-1227.
- (209) Guha, I.; Kedzierski, J.; Abedian, B. Electrical conductance across self-assembled lipid bilayers. *Journal of Applied Physics (Melville, NY, United States)* **2013**, *113*, 054301/054301-054301/054305.
- (210) Hagn, F.; Etzkorn, M.; Raschle, T.; Wagner, G. Optimized Phospholipid Bilayer Nanodiscs Facilitate High-Resolution Structure Determination of Membrane Proteins. *Journal of the American Chemical Society* **2013**, *135*, 1919-1925.
- (211) Hartley, M. D.; Schneggenburger, P. E.; Imperiali, B. Lipid bilayer nanodisc platform for investigating polyprenol-dependent enzyme interactions and activities. *Proc Natl Acad Sci U S A* **2013**, *110*, 20863-20870.
- (212) He, W.; Luo, J.; Bourguet, F.; Xing, L.; Yi, S. K.; Gao, T.; Blanchette, C.; Henderson, P. T.; Kuhn, E.; Malfatti, M. et al. Controlling the diameter, monodispersity, and solubility of ApoA1 nanolipoprotein particles using telodendrimer chemistry. *Protein Science* **2013**, *22*, 1078-1086.
- (213) Hopper, J. T. S.; Yu, Y. T.-C.; Li, D.; Raymond, A.; Bostock, M.; Liko, I.; Mikhailov, V.; Laganowsky, A.; Benesch, J. L. P.; Caffrey, M. et al. Detergent-free mass spectrometry of membrane protein complexes. *Nature Methods* **2013**, *10*, 1206-1208.
- (214) Inagaki, S.; Ghirlando, R.; Grisshammer, R. Biophysical characterization of membrane proteins in nanodiscs. *Methods* **2013**, *59*, 287-300.
- (215) Justesen, B. H.; Hansen, R. W.; Martens, H. J.; Theorin, L.; Palmgren, M. G.; Martinez, K. L.; Pomorski, T. G.; Fuglsang, A. T. Active plasma membrane P-type H⁺-ATPase reconstituted into nanodisks is a monomer. *J. Biol. Chem.* **2013**, *288*, 26419-26429.
- (216) Justesen, B. H.; Laursen, T.; Weber, G.; Fuglsang, A. T.; Moeller, B. L.; Gunther Pomorski, T. Isolation of Monodisperse Nanodisc-Reconstituted Membrane Proteins Using Free Flow Electrophoresis. *Anal. Chem. (Washington, DC, U. S.)* **2013**, *85*, 3497-3500.
- (217) Karasawa, A.; Swier, L. J. Y. M.; Stuart, M. C. A.; Brouwers, J.; Helms, B.; Poolman, B. Physicochemical Factors Controlling the Activity and Energy Coupling of an Ionic Strength-gated ATP-binding Cassette (ABC) Transporter. *J. Biol. Chem.* **2013**, *288*, 29862-29871.
- (218) Kedrov, A.; Sustarsic, M.; de Keyser, J.; Caumanns, J. J.; Wu, Z. C.; Driessen, A. J. M. Elucidating the Native Architecture of the YidC:Ribosome Complex. *Journal of Molecular Biology* **2013**, *425*, 4112-4124.
- (219) Keller, H.; Worsch, R.; Schwille, P. Model membrane systems. *Methods in Molecular Biology (New York, NY, United States)* **2013**, *1008*, 417-438.
- (220) Knepp, A. M.; Sakmar, T. P.; Huber, T. Homogeneous time-resolved fluorescence assay to probe folded G protein-coupled receptors. *Methods Enzymol* **2013**, *522*, 169-189.
- (221) Kobashigawa, Y.; Yokogawa, M.; Inagaki, F. Advanced sample production method for protein NMR spectroscopy. *Seibutsu Butsuri* **2013**, *53*, 268-271.

(222) Krishnakumar, S. S.; Kummel, D.; Jones, S. J.; Radoff, D. T.; Reinisch, K. M.; Rothman, J. E. Conformational Dynamics of Calcium-Triggered Activation of Fusion by Synaptotagmin. *Biophys. J.* **2013**, *105*, 2507-2516.

(223) Lai, G.; Renthal, R. Integral Membrane Protein Fragment Recombination after Transfer from Nanolipoprotein Particles to Bicelles. *Biochemistry* **2013**, *52*, 9405-9412.

(224) Lam, K. S.; Luo, J.; Lee, J. S.; (University of California, USA). Application: US

US, 2013.

(225) Lin, H.; Kitova, E. N.; Klassen, J. S. Quantifying Protein-Ligand Interactions by Direct Electrospray Ionization-MS Analysis: Evidence of Nonuniform Response Factors Induced by High Molecular Weight Molecules and Complexes. *Anal. Chem. (Washington, DC, U. S.)* **2013**, *85*, 8919-8922.

(226) Liu, Y.; Nieh, M.-P. Critical pegylated lipid concentration influence on the nanodisc-to-vesicle transformation. *Abstracts, 39th Northeast Regional Meeting of the American Chemical Society, New Haven, CT, United States, October 23-26 2013*, NERM-101.

(227) Luo, J.; He, W.; Lam, K. S.; Henderson, P.; Coleman, M.; (University of California, USA). Application: US

US, 2013.

(228) Luthra, A.; Gregory, M.; Grinkova, Y. V.; Denisov, I. G.; Sligar, S. G. Nanodiscs in the studies of membrane-bound cytochrome p450 enzymes. *Methods Mol Biol* **2013**, *987*, 115-127.

(229) Lyukmanova, E. N.; Shenkarev, Z. O.; Kirpichnikov, M. P.; Arsen'ev, A. S.; (Obshchestvo s Ogranichennoi Otvetstvennost'yu "Laboratoriya Arsen'eva", Russia). Application: RU

RU, 2013.

(230) Mahabir, S.; Small, D.; Li, M.; Wan, W.; Kucerka, N.; Littrell, K.; Katsaras, J.; Nieh, M.-P. Growth kinetics of lipid-based nanodiscs to unilamellar vesicles-A time-resolved small angle neutron scattering (SANS) study. *Biochimica et Biophysica Acta, Biomembranes* **2013**, *1828*, 1025-1035.

(231) Mainali, L.; Raguz, M.; Subczynski, W. K. Formation of Cholesterol Bilayer Domains Precedes Formation of Cholesterol Crystals in Cholesterol/Dimyristoylphosphatidylcholine Membranes: EPR and DSC Studies. *Journal of Physical Chemistry B* **2013**, *117*, 8994-9003.

(232) Marty, M. T.; Wilcox, K. C.; Klein, W. L.; Sligar, S. G. Nanodisc-solubilized membrane protein library reflects the membrane proteome. *Analytical and Bioanalytical Chemistry* **2013**, *405*, 4009-4016.

(233) Mary, S.; Fehrentz, J. A.; Damian, M.; Gaibelet, G.; Orcel, H.; Verdie, P.; Mouillac, B.; Martinez, J.; Marie, J.; Baneres, J. L. Heterodimerization with Its splice variant blocks the ghrelin receptor 1a in a non-signaling conformation: a study with a purified heterodimer assembled into lipid discs. *J Biol Chem* **2013**, *288*, 24656-24665.

(234) Mazhab-Jafari, M. T.; Marshall, C. B.; Stathopoulos, P. B.; Kobashigawa, Y.; Stambolic, V.; Kay, L. E.; Inagaki, F.; Ikura, M. Membrane-Dependent Modulation of the mTOR Activator Rheb: NMR Observations of a GTPase Tethered to a Lipid-Bilayer Nanodisc. *Journal of the American Chemical Society* **2013**, *135*, 3367-3370.

(235) McDougle, D. R.; Palaria, A.; Magnetta, E.; Meling, D. D.; Das, A. Functional studies of N-terminally modified CYP2J2 epoxygenase in model lipid bilayers. *Protein Science* **2013**, *22*, 964-979.

(236) Mitra, N.; Liu, Y.; Liu, J.; Serebryany, E.; Mooney, V.; DeVree, B. T.; Sunahara, R. K.; Yan, E. C. Y. Calcium Dependent Ligand Binding and G-protein Signaling of Family B GPCR Parathyroid Hormone 1 Receptor Purified in Nanodiscs. *ACS Chemical Biology* **2013**, *8*, 617-625.

- (237) Moers, K.; Roos, C.; Scholz, F.; Wachtveitl, J.; Doetsch, V.; Bernhard, F.; Glaubitz, C. Modified lipid and protein dynamics in nanodiscs. *Biochimica et Biophysica Acta, Biomembranes* **2013**, *1828*, 1222-1229.
- (238) Monterroso, B.; Alfonso, C.; Zorrilla, S.; Rivas, G. Combined analytical ultracentrifugation, light scattering and fluorescence spectroscopy studies on the functional associations of the bacterial division FtsZ protein. *Methods* **2013**, *59*, 349-362.
- (239) Mouritsen, O. G. Physical chemistry of curvature and curvature stress in membranes. *Current Physical Chemistry* **2013**, *3*, 17-26.
- (240) Nasr, M. L.; Shi, X.; Bowman, A. L.; Johnson, M.; Zvonok, N.; Janero, D. R.; Vemuri, V. K.; Wales, T. E.; Engen, J. R.; Makriyannis, A. Membrane phospholipid bilayer as a determinant of monoacylglycerol lipase kinetic profile and conformational repertoire. *Protein Sci* **2013**, *22*, 774-787.
- (241) Ng, K. K.; Lovell, J. F.; Vedadi, A.; Hajian, T.; Zheng, G. Self-Assembled Porphyrin Nanodiscs with Structure-Dependent Activation for Phototherapy and Photodiagnostic Applications. *ACS Nano* **2013**, *7*, 3484-3490.
- (242) Noguchi, H. Structure formation in binary mixtures of lipids and detergents: Self-assembly and vesicle division. *Journal of Chemical Physics* **2013**, *138*, 024907/024901-024907/024909.
- (243) Numata, M.; Grinkova, Y. V.; Mitchell, J. R.; Chu, H. W.; Sligar, S. G.; Voelker, D. R. Nanodiscs as a therapeutic delivery agent: inhibition of respiratory syncytial virus infection in the lung. *International Journal of Nanomedicine* **2013**, *8*, 1417-1427.
- (244) Pavlidou, M.; Haenel, K.; Moeckel, L.; Willbold, D. Nanodiscs allow phage display selection for ligands to non-linear epitopes on membrane proteins. *PLoS One* **2013**, *8*, e72272.
- (245) Periasamy, A.; Shadiac, N.; Amalraj, A.; Garajova, S.; Nagarajan, Y.; Waters, S.; Mertens, H. D. T.; Hrmova, M. Cell-free protein synthesis of membrane (1,3)- β -D-glucan (curdian) synthase: Co-translational insertion in liposomes and reconstitution in nanodiscs. *Biochimica et Biophysica Acta, Biomembranes* **2013**, *1828*, 743-757.
- (246) Pintre, I. C.; Webb, S. J. Binding and reactivity at bilayer membranes. *Advances in Physical Organic Chemistry* **2013**, *47*, 129-183.
- (247) Proverbio, D.; Roos, C.; Beyermann, M.; Orban, E.; Dotsch, V.; Bernhard, F. Functional properties of cell-free expressed human endothelin A and endothelin B receptors in artificial membrane environments. *Biochimica et Biophysica Acta, Biomembranes* **2013**, *1828*, 2182-2192.
- (248) Puthenveetil, R.; Vinogradova, O. Optimization of the design and preparation of nanoscale phospholipid bilayers for its application to solution NMR. *Proteins* **2013**.
- (249) Roos, C.; Kai, L.; Proverbio, D.; Ghoshdastider, U.; Filipek, S.; Dotsch, V.; Bernhard, F. Co-translational association of cell-free expressed membrane proteins with supplied lipid bilayers. *Mol Membr Biol* **2013**, *30*, 75-89.
- (250) Ruehrer, S.; Michel, H. Exploiting *Leishmania tarentolae* cell-free extracts for the synthesis of human solute carriers. *Molecular Membrane Biology* **2013**, *30*, 288-302.
- (251) Sakamuri, R. M.; Price, D. N.; Lee, M.; Cho, S. N.; Barry, C. E.; Via, L. E.; Swanson, B. I.; Mukundan, H. Association of lipoarabinomannan with high density lipoprotein in blood: Implications for diagnostics. *Tuberculosis (Oxford, United Kingdom)* **2013**, *93*, 301-307.
- (252) Schuler, M. A.; Denisov, I. G.; Sligar, S. G. Nanodiscs as a new tool to examine lipid-protein interactions. *Methods in Molecular Biology (New York, NY, United States)* **2013**, *974*, 415-433.
- (253) Seven, A. B.; Brewer, K. D.; Shi, L.; Jiang, Q.-X.; Rizo, J. Prevalent mechanism of membrane bridging by synaptotagmin-1. *Proc. Natl. Acad. Sci. U. S. A.* **2013**, *110*, E3243-E3252,SE3243/3241-SE3243/3245.
- (254) Shadiac, N.; Nagarajan, Y.; Waters, S.; Hrmova, M. Close allies in membrane protein research: Cell-free synthesis and nanotechnology. *Mol Membr Biol* **2013**.

- (255) Shen, H.-H.; Lithgow, T.; Martin, L. L. Reconstitution of membrane proteins into model membranes: seeking better ways to retain protein activities. *International Journal of Molecular Sciences* **2013**, *14*, 1589-1607.
- (256) Shenkarev, Z. O.; Lyukmanova, E. N.; Butenko, I. O.; Petrovskaya, L. E.; Paramonov, A. S.; Shulepko, M. A.; Nekrasova, O. V.; Kirpichnikov, M. P.; Arseniev, A. S. Lipid-protein nanodiscs promote in vitro folding of transmembrane domains of multi-helical and multimeric membrane proteins. *Biochimica et Biophysica Acta, Biomembranes* **2013**, *1828*, 776-784.
- (257) Shenkarev, Z. O.; Paramonov, A. S.; Lyukmanova, E. N.; Gizatullina, A. K.; Zhuravleva, A. V.; Tagaev, A. A.; Yakimenko, Z. A.; Telezhinskaya, I. N.; Kirpichnikov, M. P.; Ovchinnikova, T. V. et al. Peptaibol Antiamoebin I: Spatial Structure, Backbone Dynamics, Interaction with Bicelles and Lipid-Protein Nanodiscs, and Pore Formation in Context of Barrel-Stave Model. *Chemistry & Biodiversity* **2013**, *10*, 838-863.
- (258) Shi, L.; Howan, K.; Shen, Q.-T.; Wang, Y. J.; Rothman, J. E.; Pincet, F. Preparation and characterization of SNARE-containing nanodiscs and direct study of cargo release through fusion pores. *Nature Protocols* **2013**, *8*, 935-948, 914 pp.
- (259) Sloan, C. D.; Marty, M. T.; Sligar, S. G.; Bailey, R. C. Interfacing lipid bilayer nanodiscs and silicon photonic sensor arrays for multiplexed protein-lipid and protein-membrane protein interaction screening. *Anal Chem* **2013**, *85*, 2970-2976.
- (260) Springer, C. L.; Huntoon, H. P.; Peersen, O. B. Polyprotein Context Regulates the Activity of Poliovirus 2CATPase Bound to Bilayer Nanodiscs. *J Virol* **2013**.
- (261) Taufik, I.; Kedrov, A.; Exterkate, M.; Driessen, A. J. M. Monitoring the Activity of Single Translocons. *Journal of Molecular Biology* **2013**, *425*, 4145-4153.
- (262) Tavoosi, N.; Smith, S. A.; Davis-Harrison, R. L.; Morrissey, J. H. Factor VII and Protein C Are Phosphatidic Acid-Binding Proteins. *Biochemistry* **2013**, *52*, 5545-5552.
- (263) Tsukui, Y.; Aburai, K.; Sakai, H.; Abe, M.; Kitamoto, D.; Imura, T. Preparation and physicochemical properties of lipid nanodiscs. *87th ACS Colloid and Surface Science Symposium, Riverside, CA, United States, June 23-26 2013*, COLLSYMP-122.
- (264) Tzitzilonis, C.; Eichmann, C.; Maslennikov, I.; Choe, S.; Riek, R. Detergent/nanodisc screening for high-resolution NMR studies of an integral membrane protein containing a cytoplasmic domain. *PLoS One* **2013**, *8*, e54378.
- (265) Vishnivetskiy, S. A.; Ostermaier, M. K.; Singhal, A.; Panneels, V.; Homan, K. T.; Glukhova, A.; Sligar, S. G.; Tesmer, J. J. G.; Schertler, G. F. X.; Standfuss, J. et al. Constitutively active rhodopsin mutants causing night blindness are effectively phosphorylated by GRKs but differ in arrestin-1 binding. *Cellular signalling* **2013**, *25*, 2155-2162.
- (266) Wadsaeter, M.; Maric, S.; Simonsen, J. B.; Mortensen, K.; Cardenas, M. The effect of using binary mixtures of zwitterionic and charged lipids on nanodisc formation and stability. *Soft Matter* **2013**, *9*, 2329-2337.
- (267) Wadsater, M.; Barker, R.; Mortensen, K.; Feidenhans'l, R.; Cardenas, M. Effect of Phospholipid Composition and Phase on Nanodisc Films at the Solid-Liquid Interface as Studied by Neutron Reflectivity. *Langmuir* **2013**, *29*, 2871-2880.
- (268) Wang, G. NMR of membrane proteins. *Advances in Protein and Peptide Sciences* **2013**, *1*, 128-188.
- (269) Wang, Z.; Raines, L. L.; Hooy, R. M.; Roberson, H.; Leahy, D. J.; Cole, P. A. Tyrosine Phosphorylation of Mig6 Reduces Its Inhibition of the Epidermal Growth Factor Receptor. *ACS Chemical Biology* **2013**, *8*, 2372-2376.
- (270) Weilhammer, D. R.; Blanchette, C. D.; Fischer, N. O.; Alam, S.; Loots, G. G.; Corzett, M.; Thomas, C.; Lychak, C.; Dunkle, A. D.; Ruitenberg, J. J. et al. The use of nanolipoprotein particles to

- enhance the immunostimulatory properties of innate immune agonists against lethal influenza challenge. *Biomaterials* **2013**, *34*, 10305-10318.
- (271) Xu, X. P.; Zhai, D.; Kim, E.; Swift, M.; Reed, J. C.; Volkmann, N.; Hanein, D. Three-dimensional structure of Bax-mediated pores in membrane bilayers. *Cell Death & Disease* **2013**, *4*, e683.
- (272) Zhou, H. X.; Cross, T. A. Influences of membrane mimetic environments on membrane protein structures. *Annu Rev Biophys* **2013**, *42*, 361-392.
- (273) Adamson, R. J.; Watts, A. Kinetics of the early events of GPCR signalling. *FEBS Lett.* **2014**, *588*, 4701-4707.
- (274) Altawallbeh, G.; Bayachou, M.; Verdi, C.; Haque, M. M.; Stuehr, D. J. Role of lipid membranes in modulating the activity of endothelial nitric oxide synthase. *Abstracts, 45th Central Regional Meeting of the American Chemical Society, Pittsburgh, PA, United States, October 29-November 2014*, CERMACS-134.
- (275) Anishkin, A.; Loukin, S. H.; Teng, J.; Kung, C. Feeling the hidden mechanical forces in lipid bilayer is an original sense. *Proc. Natl. Acad. Sci. U. S. A.* **2014**, *111*, 7898-7905.
- (276) Baker, C. J.; Denisov, I. G.; Sligar, S. G. Nanoscale membrane mimetics for biophysical studies of membrane proteins. *Liposomes, Lipid Bilayers and Model Membranes* **2014**, 167-177, 161 plate.
- (277) Bao, H.; Duong, F. Nucleotide-free MalK Drives the Transition of the Maltose Transporter to the Inward-facing Conformation. *J. Biol. Chem.* **2014**, *289*, 9844-9851.
- (278) Bibow, S.; Carneiro, M. G.; Sabo, T. M.; Schwiegk, C.; Becker, S.; Riek, R.; Lee, D. Measuring membrane protein bond orientations in nanodiscs via residual dipolar couplings. *Protein Science* **2014**, *23*, 851-856.
- (279) Blume, A.; Drescher, S.; Graf, G.; Koehler, K.; Meister, A. Self-assembly of different single-chain bolaphospholipids and their miscibility with phospholipids or classical amphiphiles. *Advances in Colloid and Interface Science* **2014**, *208*, 264-278.
- (280) Braun, C. J.; Lachnit, C.; Becker, P.; Henkes, L. M.; Arrigoni, C.; Kast, S. M.; Moroni, A.; Thiel, G.; Schroeder, I. Viral potassium channels as a robust model system for studies of membrane-protein interaction. *Biochim Biophys Acta* **2014**, *1838*, 1096-1103.
- (281) Catoire, L. J., Warnet, X.L., Warschawski, D.E. In *Membrane Proteins Production for Structural Analysis*; Mus-Veteau, I., Ed.; Springer: New York, 2014.
- (282) D'Antona, A. M.; Xie, G.; Sligar, S. G.; Oprian, D. D. Assembly of an Activated Rhodopsin-Transducin Complex in Nanoscale Lipid Bilayers. *Biochemistry* **2014**, *53*, 127-134.
- (283) Das, A.; Varma, S. S.; Mularczyk, C.; Meling, D. D. Functional Investigations of Thromboxane Synthase (CYP5A1) in Lipid Bilayers of Nanodiscs. *ChemBioChem* **2014**, *15*, 892-899.
- (284) Deng, R.; Liang, F.; Zhou, P.; Zhang, C.; Qu, X.; Wang, Q.; Li, J.; Zhu, J.; Yang, Z. Janus Nanodisc of Diblock Copolymers. *Advanced Materials (Weinheim, Germany)* **2014**, Ahead of Print.
- (285) Eggensperger, S.; Fiset, O.; Parcej, D.; Schafer, L. V.; Tampe, R. An Annular Lipid Belt Is Essential for Allosteric Coupling and Viral Inhibition of the Antigen Translocation Complex TAP (Transporter Associated with Antigen Processing). *J. Biol. Chem.* **2014**, *289*, 33098-33108.
- (286) Etkorn, M.; Zoonens, M.; Catoire, L. J.; Popot, J.-L.; Hiller, S. How Amphipols Embed Membrane Proteins: Global Solvent Accessibility and Interaction with a Flexible Protein Terminus. *Journal of Membrane Biology* **2014**, Ahead of Print.
- (287) Fischer, N. O.; Blanchette, C.; Rasley, A. Enhancing the efficacy of innate immune agonists: could nanolipoprotein particles hold the key? *Nanomedicine (Lond)* **2014**, *9*, 369-372.
- (288) Fischer, N. O.; Weilhammer, D. R.; Dunkle, A.; Thomas, C.; Hwang, M.; Corzett, M.; Lychak, C.; Mayer, W.; Urbin, S.; Collette, N. et al. Evaluation of nanolipoprotein particles (NLPs) as an in vivo delivery platform. *PLoS One* **2014**, *9*, e93342/93341-e93342/93317, 93317 pp.

- (289) Fischer, N. O.; Weilhammer, D. R.; Dunkle, A.; Thomas, C.; Hwang, M.; Corzett, M.; Lychak, C.; Mayer, W.; Urbin, S.; Collette, N. et al. Evaluation of nanolipoprotein particles (NLPs) as an in vivo delivery platform. *PLoS One* **2014**, *9*, e93342.
- (290) Ghosh, A.; Sonavane, U.; Joshi, R. Multiscale modelling to understand the self-assembly mechanism of human β 2-adrenergic receptor in lipid bilayer. *Computational Biology and Chemistry* **2014**, *48*, 29-39.
- (291) Hagn, F.; Wagner, G. Structure refinement and membrane positioning of selectively labeled OmpX in phospholipid nanodiscs. *J Biomol NMR* **2014**, *61*, 249-260.
- (292) Hein, C.; Henrich, E.; Orban, E.; Doetsch, V.; Bernhard, F. Hydrophobic supplements in cell-free systems: Designing artificial environments for membrane proteins. *Engineering in Life Sciences* **2014**, *14*, 365-379.
- (293) Hernandez-Rocamora, V. M.; Garcia-Montanes, C.; Rivas, G. Phospholipid bilayer nanodiscs: a powerful tool to study the structural organization and biochemical reactivity of proteins in membrane-like environments. *Curr Top Med Chem* **2014**, *14*, 2637-2646.
- (294) Heuveling, J.; Frochoux, V.; Ziolkowska, J.; Wawrzinek, R.; Wessig, P.; Herrmann, A.; Schneider, E. Conformational changes of the bacterial type I ATP-binding cassette importer HisQMP2 at distinct steps of the catalytic cycle. *Biochimica et Biophysica Acta, Biomembranes* **2014**, *1838*, 106-116.
- (295) Hirst, L. S. Lipid self-assembly. *Handbook of Liquid Crystals (2nd Edition)* **2014**, *6*, 317-333.
- (296) Hu, A.; Fan, T.-H.; Katsaras, J.; Xia, Y.; Li, M.; Nieh, M.-P. Lipid-based nanodiscs as models for studying mesoscale coalescence - a transport limited case. *Soft Matter* **2014**, *10*, 5055-5060.
- (297) Imperiali, B. Protein glycosylation: Pathways, processes, and potential antivirulence targets. *Abstracts of Papers, 247th ACS National Meeting & Exposition, Dallas, TX, United States, March 16-20, 2014* **2014**, ORGN-248.
- (298) Imura, T.; Tsukui, Y.; Sakai, K.; Sakai, H.; Taira, T.; Kitamoto, D. Minimum amino acid residues of an α -helical peptide leading to lipid nanodisc formation. *Journal of Oleo Science* **2014**, *63*, 1203-1208.
- (299) Imura, T.; Tsukui, Y.; Taira, T.; Aburai, K.; Sakai, K.; Sakai, H.; Abe, M.; Kitamoto, D. Surfactant-like Properties of an Amphiphilic α -Helical Peptide Leading to Lipid Nanodisc Formation. *Langmuir* **2014**, *30*, 4752-4759.
- (300) Ishida, H.; Garcia-Herrero, A.; Vogel, H. J. The periplasmic domain of Escherichia coli outer membrane protein A can undergo a localized temperature dependent structural transition. *Biochimica et Biophysica Acta, Biomembranes* **2014**, Ahead of Print.
- (301) Jahnke, N.; Krylova, O. O.; Hoomann, T.; Vargas, C.; Fiedler, S.; Pohl, P.; Keller, S. Real-Time Monitoring of Membrane-Protein Reconstitution by Isothermal Titration Calorimetry. *Anal. Chem. (Washington, DC, U. S.)* **2014**, *86*, 920-927.
- (302) Jang, H.-S.; Maran, F.; Nieh, M.-P. Self-assembly of unilamellar vesicles (ULV) with lipids and hydrophobated gold nanoparticles. *Abstracts of Papers, 247th ACS National Meeting & Exposition, Dallas, TX, United States, March 16-20, 2014* **2014**, COLL-825.
- (303) Johnson, P. J. M.; Halpin, A.; Morizumi, T.; Brown, L. S.; Prokhorenko, V. I.; Ernst, O. P.; Dwayne Miller, R. J. The photocycle and ultrafast vibrational dynamics of bacteriorhodopsin in lipid nanodiscs. *Physical Chemistry Chemical Physics* **2014**, *16*, 21310-21320.
- (304) Justesen, B. H.; Guenther-Pomorski, T. Chromatographic and electrophoretic methods for nanodisc purification and analysis. *Reviews in Analytical Chemistry* **2014**, *33*, 165-172.
- (305) Kariyazono, H.; Shinmura, W.; Tsuji, K.; Baba, T.; Shigenaga, A.; Otaka, A.; Saito, H. Design of nanodisc scaffold peptide (NSP). *Peptide Science* **2014**, *51st*, 161-162.

- (306) Khatri, Y.; Gregory, M. C.; Grinkova, Y. V.; Denisov, I. G.; Sligar, S. G. Active site proton delivery and the lyase activity of human CYP17A1. *Biochemical and Biophysical Research Communications* **2014**, *443*, 179-184.
- (307) Khatri, Y.; Luthra, A.; Duggal, R.; Sligar, S. G. Kinetic solvent isotope effect in steady-state turnover by CYP19A1 suggests involvement of Compound 1 for both hydroxylation and aromatization steps. *FEBS Lett.* **2014**, *588*, 3117-3122.
- (308) Kojima, K.; Imamoto, Y.; Maeda, R.; Yamashita, T.; Shichida, Y. Rod visual pigment optimizes active state to achieve efficient G protein activation as compared with cone visual pigments. *J. Biol. Chem.* **2014**, *289*, 5061-5073.
- (309) Kynde, S. A. R.; Skar-Gislinge, N.; Pedersen, M. C.; Midtgaard, S. R.; Simonsen, J. B.; Schweins, R.; Mortensen, K.; Arleth, L. Small-angle scattering gives direct structural information about a membrane protein inside a lipid environment. *Acta Crystallographica, Section D: Biological Crystallography* **2014**, *70*, 371-383.
- (310) Laursen, T.; Singha, A.; Rantzau, N.; Tutkus, M.; Borch, J.; Hedegard, P.; Stamou, D.; Moller, B. L.; Hatzakis, N. S. Single molecule activity measurements of cytochrome P450 oxidoreductase reveal the existence of two discrete functional states. *ACS Chem Biol* **2014**, *9*, 630-634.
- (311) Leney, A. C.; Fan, X.; Kitova, E. N.; Klassen, J. S. Nanodiscs and Electrospray Ionization Mass Spectrometry: A Tool for Screening Glycolipids Against Proteins. *Anal. Chem. (Washington, DC, U. S.)* **2014**, *86*, 5271-5277.
- (312) Li, M.; Hazelbauer, G. L. Selective allosteric coupling in core chemotaxis signaling complexes. *Proc. Natl. Acad. Sci. U. S. A.* **2014**, *111*, 15940-15945.
- (313) Liu, Y.; Li, M.; Yang, Y.; Xia, Y.; Nieh, M.-P. The effects of temperature, salinity, concentration and PEGylated lipid on the spontaneous nanostructures of bicellar mixtures. *Biochimica et Biophysica Acta, Biomembranes* **2014**, *1838*, 1871-1880.
- (314) Liu, Y.; Molinaro, P.; Nieh, M.-P. Study of Nile red exchange between nanodiscs: A kinetics study of hydrophobic molecular transportation. *Abstracts of Papers, 247th ACS National Meeting & Exposition, Dallas, TX, United States, March 16-20, 2014* **2014**, COLL-329.
- (315) Ly, S.; Bourguet, F.; Fischer, N. O.; Lau, E. Y.; Coleman, M. A.; Laurence, T. A. Quantifying Interactions of a Membrane Protein Embedded in a Lipid Nanodisc using Fluorescence Correlation Spectroscopy. *Biophys. J.* **2014**, *106*, L05-L08.
- (316) Mak, P. J.; Gregory, M. C.; Sligar, S. G.; Kincaid, J. R. Resonance Raman spectroscopy reveals that substrate structure selectively impacts the heme-bound diatomic ligands of CYP17. *Biochemistry* **2014**, *53*, 90-100.
- (317) Mak, P. J.; Luthra, A.; Sligar, S. G.; Kincaid, J. R. Resonance Raman spectroscopy of the oxygenated intermediates of human CYP19A1 implicates a compound i intermediate in the final lyase step. *J Am Chem Soc* **2014**, *136*, 4825-4828.
- (318) Malhotra, K.; Alder, N. N. Advances in the use of nanoscale bilayers to study membrane protein structure and function. *Biotechnology and Genetic Engineering Reviews* **2014**, *30*, 79-93.
- (319) Maric, S.; Skar-Gislinge, N.; Midtgaard, S.; Arleth, L.; Thygesen Mikkelsen, B.; Schiller, J.; Frielinghaus, H.; Moulin, M.; Haertlein, M.; Forsyth, V. T. et al. Stealth carriers for low-resolution structure determination of membrane proteins in solution. *Acta crystallographica. Section D, Biological crystallography* **2014**, *70*, 317-328.
- (320) Marty, M. T.; Zhang, H.; Cui, W.; Gross, M. L.; Sligar, S. G. Interpretation and Deconvolution of Nanodisc Native Mass Spectra. *Journal of the American Society for Mass Spectrometry* **2014**, *25*, 269-277.
- (321) McDougle, D. R.; Kambalyal, A.; Meling, D. D.; Das, A. Endocannabinoids anandamide and 2-arachidonoylglycerol are substrates for human CYP2J2 epoxygenase. *Journal of Pharmacology and Experimental Therapeutics* **2014**, *351*, 616-627, 612 pp.

- (322) Mei, H.; Campbell, J. M.; Paddock, C. M.; Lertkiatmongkol, P.; Mosesson, M. W.; Albrecht, R.; Newman, P. J. Regulation of Endothelial Cell Barrier Function by Antibody-driven Affinity Modulation of Platelet Endothelial Cell Adhesion Molecule-1 (PECAM-1). *J. Biol. Chem.* **2014**, *289*, 20836-20844.
- (323) Meling, D. D.; McDougle, D. R.; Das, A. CYP2J2 epoxygenase membrane anchor plays an important role in facilitating electron transfer from CPR. *J Inorg Biochem* **2014**, *142C*, 47-53.
- (324) Meusch, D.; Gatsogiannis, C.; Efremov, R. G.; Lang, A. E.; Hofnagel, O.; Vetter, I. R.; Aktories, K.; Raunser, S. Mechanism of Tc toxin action revealed in molecular detail. *Nature* **2014**, *508*, 61-65.
- (325) Midtgaard, S. R.; Pedersen, M. C.; Kirkensgaard, J. J. K.; Sorensen, K. K.; Mortensen, K.; Jensen, K. J.; Arleth, L. Self-assembling peptides form nanodiscs that stabilize membrane proteins. *Soft Matter* **2014**, *10*, 738-752.
- (326) Mills, A.; Le, H.-T.; Coulton, J. W.; Duong, F. FhuA interactions in a detergent-free nanodisc environment. *Biochimica et Biophysica Acta, Biomembranes* **2014**, *1838*, 364-371.
- (327) Mussener, J.; Teubert, J.; Hille, P.; Schafer, M.; Schormann, J.; de la Mata, M.; Arbiol, J.; Eickhoff, M. Probing the Internal Electric Field in GaN/AlGaIn Nanowire Heterostructures. *Nano Lett* **2014**, *14*, 5118-5122.
- (328) Nasr, M. L.; Singh, S. K. Radioligand Binding to Nanodisc-Reconstituted Membrane Transporters Assessed by the Scintillation Proximity Assay. *Biochemistry* **2014**, *53*, 4-6.
- (329) Nieh, M.-P.; Liu, Y.; Rottier, M. Controlling "stringed" lipid nano-aggregates. *Abstracts of Papers, 247th ACS National Meeting & Exposition, Dallas, TX, United States, March 16-20, 2014* **2014**, COLL-497.
- (330) Orlando, B. J.; McDougle, D. R.; Lucido, M. J.; Eng, E. T.; Graham, L. A.; Schneider, C.; Stokes, D. L.; Das, A.; Malkowski, M. G. Cyclooxygenase-2 catalysis and inhibition in lipid bilayer nanodiscs. *Archives of Biochemistry and Biophysics* **2014**, *546*, 33-40.
- (331) Pandey, A. P.; Girase, N. M.; Patil, M. D.; Patil, P. O.; Patil, D. A.; Deshmukh, P. K. Nanoarchitectonics in cancer therapy and imaging diagnosis. *Journal of Nanoscience and Nanotechnology* **2014**, *14*, 828-840.
- (332) Parker, C. H.; Morgan, C. R.; Rand, K. D.; Engen, J. R.; Jorgenson, J. W.; Stafford, D. W. A Conformational Investigation of Propeptide Binding to the Integral Membrane Protein γ -Glutamyl Carboxylase Using Nanodisc Hydrogen Exchange Mass Spectrometry. *Biochemistry* **2014**, *53*, 1511-1520.
- (333) Planchard, N.; Point, E.; Dahmane, T.; Giusti, F.; Renault, M.; Le Bon, C.; Durand, G.; Milon, A.; Guittet, E.; Zoonens, M. et al. The Use of Amphipols for Solution NMR Studies of Membrane Proteins: Advantages and Constraints as Compared to Other Solubilizing Media. *Journal of Membrane Biology* **2014**, *247*, 827-842.
- (334) Proverbio, D., Henrich, E., Orbán, E., Dötsch, V., Bernhard, F. In *Membrane Proteins Production for Structural Analysis*; Mus-Veteau, I., Ed.; Springer: New York, 2014.
- (335) Redka, D. y. S.; Morizumi, T.; Elmslie, G.; Paranthaman, P.; Shivnaraine, R. V.; Ellis, J.; Ernst, O. P.; Wells, J. W. Coupling of G Proteins to Reconstituted Monomers and Tetramers of the M2 Muscarinic Receptor. *J. Biol. Chem.* **2014**, *289*, 24347-24365.
- (336) Roman-Hernandez, G.; Peterson, J. H.; Bernstein, H. D. Reconstitution of bacterial autotransporter assembly using purified components. *Elife* **2014**, e04234.
- (337) Rues, R. B.; Orban, E.; Dotsch, V.; Bernhard, F. Cell-free expression of G-protein coupled receptors: new pipelines for challenging targets. *Biol Chem* **2014**.
- (338) Shaari, N. S.; Karjiban, R. A.; Basri, M. The effect of temperature and pressure on the self-assembly of dipalmitoylphosphatidylcholine using coarse-grained molecular dynamics. *Journal of Medical and Bioengineering* **2014**, *3*, 122-127.

- (339) Sharmin, A.; Phung, T.; Ross, J. A.; Rosenberg, E.; Atkins, W. Site-specific and non-specific luminescence labelling of membrane scaffold protein (MSP) to study the dynamic properties of phospholipid nanodiscs. *Abstracts, 69th Northwest Regional Meeting of the American Chemical Society, Missoula, MT, United States, June 22-25 2014*, NORM-205.
- (340) Shenkarev, Z. O.; Lyukmanova, E. N.; Paramonov, A. S.; Panteleev, P. V.; Balandin, S. V.; Shulepko, M. A.; Mineev, K. S.; Ovchinnikova, T. V.; Kirpichnikov, M. P.; Arseniev, A. S. Lipid-protein nanodiscs offer new perspectives for structural and functional studies of water-soluble membrane-active peptides. *Acta Naturae* **2014**, *6*, 84-94.
- (341) Shin, J.; Lou, X.; Kweon, D.-H.; Shin, Y.-K. Multiple conformations of a single SNAREpin between two nanodisc membranes reveal diverse pre-fusion states. *Biochemical Journal* **2014**, *459*, 95-102.
- (342) Stoilova-McPhie, S.; Grushin, K.; Dalm, D.; Miller, J. Lipid nanotechnologies for structural studies of membrane-associated proteins. *Proteins: Structure, Function, and Bioinformatics* **2014**, *82*, 2902-2909.
- (343) Susac, L.; Horst, R.; Wuethrich, K. Solution-NMR Characterization of Outer-Membrane Protein A from *E. coli* in Lipid Bilayer Nanodiscs and Detergent Micelles. *ChemBioChem* **2014**, *15*, 995-1000.
- (344) Ward, R.; Pliotas, C.; Branigan, E.; Hacker, C.; Rasmussen, A.; Hagelueken, G.; Booth, I. R.; Miller, S.; Lucocq, J.; Naismith, J. H. et al. Probing the Structure of the Mechanosensitive Channel of Small Conductance in Lipid Bilayers with Pulsed Electron-Electron Double Resonance. *Biophys. J.* **2014**, *106*, 834-842.
- (345) Xia, Y.; Nieh, M.-P. Time-resolved differential scanning calorimetry and small angle neutron scattering studies on the lipid transfer of phospholipid nanodiscs. *Abstracts of Papers, 247th ACS National Meeting & Exposition, Dallas, TX, United States, March 16-20, 2014* **2014**, COLL-120.
- (346) Zeno, W. F.; Hilt, S.; Aravagiri, K. K.; Risbud, S. H.; Voss, J. C.; Parikh, A. N.; Longo, M. L. Analysis of lipid phase behavior and protein conformational changes in nanolipoprotein particles upon entrapment in sol-gel-derived silica. *Langmuir* **2014**, *30*, 9780-9788.
- (347) Zhang, S.; Yang, S.; Zang, J.; Yang, R.; Zhao, G.; Xu, C. Self-assembly of NH₂-(α ,L-lysine)₅-COOH and SDS into nanodiscs or nanoribbons regulated by pH. *Chemical Communications (Cambridge, United Kingdom)* **2014**, *50*, 9943-9946.
- (348) Akkaladevi, N.; Mukherjee, S.; Katayama, H.; Janowiak, B.; Patel, D.; Gogol, E. P.; Pentelute, B. L.; John Collier, R.; Fisher, M. T. Following Nature's Lead: On the Construction of Membrane-Inserted Toxins in Lipid Bilayer Nanodiscs. *J Membr Biol* **2015**, *248*, 595-607.
- (349) Alvarez, F. J.; Orelle, C.; Huang, Y.; Bajaj, R.; Everly, R. M.; Klug, C. S.; Davidson, A. L. Full engagement of liganded maltose-binding protein stabilizes a semi-open ATP-binding cassette dimer in the maltose transporter. *Mol. Microbiol.* **2015**.
- (350) Bartelli, N. L.; Hazelbauer, G. L. Differential backbone dynamics of companion helices in the extended helical coiled-coil domain of a bacterial chemoreceptor. *Protein Sci* **2015**.
- (351) Bernhard, F.; Henrich, E.; Maertens, B. Obtaining functional membrane proteins through optimization of lipid environment in nanodiscs. *BIOspektrum* **2015**, *21*, 640-642.
- (352) Bertram, N.; Laursen, T.; Barker, R.; Bavishi, K.; Moller, B. L.; Cardenas, M. Nanodisc Films for Membrane Protein Studies by Neutron Reflection: Effect of the Protein Scaffold Choice. *Langmuir* **2015**, *31*, 8386-8391.
- (353) Bocquet, N.; Kohler, J.; Hug, M. N.; Kusznir, E. A.; Rufer, A. C.; Dawson, R. J.; Hennig, M.; Ruf, A.; Huber, W.; Huber, S. Real-time monitoring of binding events on a thermostabilized human A_{2A} receptor embedded in a lipid bilayer by surface plasmon resonance. *Biochim Biophys Acta* **2015**, *1848*, 1224-1233.

- (354) Borowska, M. T.; Dominik, P. K.; Anghel, S. A.; Kossiakoff, A. A.; Keenan, R. J. A YidC-like Protein in the Archaeal Plasma Membrane. *Structure* **2015**, *23*, 1715-1724.
- (355) Carney, C. E.; Lenov, I. L.; Baker, C. J.; MacRenaris, K. W.; Eckermann, A. L.; Sligar, S. G.; Meade, T. J. Nanodiscs as a Modular Platform for Multimodal MR-Optical Imaging. *Bioconjug Chem* **2015**, *26*, 899-905.
- (356) Castelletto, V.; Hamley, I. W.; Reza, M.; Ruokolainen, J. Interactions between lipid-free apolipoprotein-AI and a lipopeptide incorporating the RGDS cell adhesion motif. *Nanoscale* **2015**, *7*, 171-178.
- (357) Crosby, N. M.; Ghosh, M.; Su, B.; Beckstead, J. A.; Kamei, A.; Simonsen, J. B.; Luo, B.; Gordon, L. I.; Forte, T. M.; Ryan, R. O. Anti-CD20 single chain variable antibody fragment-apolipoprotein A-I chimera containing nanodisks promote targeted bioactive agent delivery to CD20-positive lymphomas. *Biochemistry and Cell Biology* **2015**, *93*, 343-350.
- (358) Dai, A.; Ye, F.; Taylor, D. W.; Hu, G.; Ginsberg, M. H.; Taylor, K. A. The Structure of a Full-length Membrane-embedded Integrin Bound to a Physiological Ligand. *J. Biol. Chem.* **2015**, *290*, 27168-27175.
- (359) Dai, S.; Cai, J.; Cheng, X.; Shen, J.; Jiang, F.; Li, N.; Chen, X.; Ye, Z.; Ren, D.; Zhang, R. et al.; (Viva Biotech Ltd., Peop. Rep. China; Institute of Biophysics, Chinese Academy of Sciences).
Application: CN

CN, 2015.

- (360) Debnath, A.; Schafer, L. V. Structure and Dynamics of Phospholipid Nanodiscs from All-Atom and Coarse-Grained Simulations. *J Phys Chem B* **2015**, *119*, 6991-7002.
- (361) Denisov, I. G.; Grinkova, Y. V.; Baylon, J. L.; Tajkhorshid, E.; Sligar, S. G. Mechanism of drug-drug interactions mediated by human cytochrome P450 CYP3A4 monomer. *Biochemistry* **2015**, *54*, 2227-2239.
- (362) Dijkman, P. M.; Watts, A. Lipid modulation of early G protein-coupled receptor signalling events. *Biochim Biophys Acta* **2015**, *1848*, 2889-2897.
- (363) Ding, Y.; Fujimoto, L. M.; Yao, Y.; Marassi, F. M. Solid-state NMR of the Yersinia pestis outer membrane protein Ail in lipid bilayer nanodiscs sedimented by ultracentrifugation. *J Biomol NMR* **2015**, *61*, 275-286.
- (364) Ding, Y.; Fujimoto, L. M.; Yao, Y.; Plano, G. V.; Marassi, F. M. Influence of the lipid membrane environment on structure and activity of the outer membrane protein Ail from Yersinia pestis. *Biochim Biophys Acta* **2015**, *1848*, 712-720.
- (365) Dominik, P. K.; Kossiakoff, A. A. Phage display selections for affinity reagents to membrane proteins in nanodiscs. *Methods Enzymol* **2015**, *557*, 219-245.
- (366) Efremov, R. G.; Leitner, A.; Aebersold, R.; Raunser, S. Architecture and conformational switch mechanism of the ryanodine receptor. *Nature* **2015**, *517*, 39-43.
- (367) Finkenwirth, F.; Sippach, M.; Landmesser, H.; Kirsch, F.; Ogienko, A.; Grunzel, M.; Kiesler, C.; Steinhoff, H. J.; Schneider, E.; Eitinger, T. ATP-Dependent Conformational Changes Trigger Substrate Capture and Release by an ECF-Type Biotin Transporter. *J Biol Chem* **2015**.
- (368) Fritz, M. In *Pulse*, 2015; Vol. 2015.
- (369) Gillette, W. K.; Esposito, D.; Abreu Blanco, M.; Alexander, P.; Bindu, L.; Bittner, C.; Chertov, O.; Frank, P. H.; Grose, C.; Jones, J. E. et al. Farnesylated and methylated KRAS4b: high yield production of protein suitable for biophysical studies of prenylated protein-lipid interactions. *Sci Rep* **2015**, *5*, 15916.
- (370) Grushin, K.; Miller, J.; Dalm, D.; Stoilova-McPhie, S. Factor VIII organisation on nanodiscs with different lipid composition. *Thromb Haemost* **2015**, *113*, 741-749.

- (371) Han, L.; Kitova, E. N.; Li, J.; Nikjah, S.; Lin, H.; Pluvinage, B.; Boraston, A. B.; Klassen, J. S. Protein-Glycolipid Interactions Studied in Vitro Using ESI-MS and Nanodiscs: Insights into the Mechanisms and Energetics of Binding. *Anal Chem* **2015**, *87*, 4888-4896.
- (372) He, W.; Scharadin, T. M.; Saldana, M.; Gellner, C.; Hoang-Phou, S.; Takamishi, C.; Hura, G. L.; Tainer, J. A.; Carraway, K. L., 3rd; Henderson, P. T. et al. Cell-free expression of functional receptor tyrosine kinases. *Sci Rep* **2015**, *5*, 12896.
- (373) Henrich, E.; Dotsch, V.; Bernhard, F. Screening for lipid requirements of membrane proteins by combining cell-free expression with nanodiscs. *Methods Enzymol* **2015**, *556*, 351-369.
- (374) Henrich, E.; Hein, C.; Dotsch, V.; Bernhard, F. Membrane protein production in Escherichia coli cell-free lysates. *FEBS Lett* **2015**.
- (375) Huda, P.; Binderup, T.; Pedersen, M. C.; Midtgaard, S. R.; Elema, D. R.; Kjaer, A.; Jensen, M.; Arleth, L. PET/CT Based In Vivo Evaluation of ⁶⁴Cu Labelled Nanodiscs in Tumor Bearing Mice. *PLoS One* **2015**, *10*, e0129310.
- (376) Ikeda, K.; Nakano, M. Self-reproduction of nanoparticles through synergistic self-assembly. *Langmuir* **2015**, *31*, 17-21.
- (377) Imamoto, Y.; Kojima, K.; Oka, T.; Maeda, R.; Shichida, Y. Helical rearrangement of photoactivated rhodopsin in monomeric and dimeric forms probed by high-angle X-ray scattering. *Photochem Photobiol Sci* **2015**, *14*, 1965-1973.
- (378) Kang, Y.; Zhou, X. E.; Gao, X.; He, Y.; Liu, W.; Ishchenko, A.; Barty, A.; White, T. A.; Yefanov, O.; Han, G. W. et al. Crystal structure of rhodopsin bound to arrestin by femtosecond X-ray laser. *Nature* **2015**, *523*, 561-567.
- (379) Kraft, T. E.; Hresko, R. C.; Hruz, P. W. Expression, Purification, and Functional Characterization of the Insulin-Responsive Facilitative Glucose Transporter GLUT4. *Protein Sci* **2015**.
- (380) Kucharska, I.; Edrington, T. C.; Liang, B.; Tamm, L. K. Optimizing nanodiscs and bicelles for solution NMR studies of two beta-barrel membrane proteins. *J Biomol NMR* **2015**, *61*, 261-274.
- (381) LaGuerre, A.; Lohr, F.; Bernhard, F.; Dotsch, V. Labeling of Membrane Proteins by Cell-Free Expression. *Methods Enzymol* **2015**, *565*, 367-388.
- (382) Lai, G.; Forti, K. M.; Renthal, R. Kinetics of lipid mixing between bicelles and nanolipoprotein particles. *Biophys Chem* **2015**, *197*, 47-52.
- (383) Lamichhane, R.; Liu, J. J.; Pljevaljcic, G.; White, K. L.; van der Schans, E.; Katritch, V.; Stevens, R. C.; Wuthrich, K.; Millar, D. P. Single-molecule view of basal activity and activation mechanisms of the G protein-coupled receptor β 2AR. *Proc. Natl. Acad. Sci. U. S. A.* **2015**, *112*, 14254-14259.
- (384) Landreh, M.; Robinson, C. V. A new window into the molecular physiology of membrane proteins. *J Physiol* **2015**, *593*, 355-362.
- (385) Lee, T. Y.; Yeh, V.; Chuang, J.; Chung Chan, J. C.; Chu, L. K.; Yu, T. Y. Tuning the Photocycle Kinetics of Bacteriorhodopsin in Lipid Nanodiscs. *Biophys J* **2015**, *109*, 1899-1906.
- (386) Lohr, F.; Tumulka, F.; Bock, C.; Abele, R.; Dotsch, V. An extended combinatorial N, C, and [Formula: see text] labeling approach to protein backbone resonance assignment. *J Biomol NMR* **2015**.
- (387) Mak, P. J.; Gregory, M. C.; Denisov, I. G.; Sligar, S. G.; Kincaid, J. R. Unveiling the crucial intermediates in androgen production. *Proc Natl Acad Sci U S A* **2015**, *112*, 15856-15861.
- (388) Maric, S.; Thygesen, M. B.; Schiller, J.; Marek, M.; Moulin, M.; Haertlein, M.; Forsyth, V. T.; Bogdanov, M.; Dowhan, W.; Arleth, L. et al. Biosynthetic preparation of selectively deuterated phosphatidylcholine in genetically modified Escherichia coli. *Applied Microbiology and Biotechnology* **2015**, *99*, 241-254.
- (389) Martin, J.; Hudson, J.; Hornung, T.; Frasch, W. D. Fo-driven Rotation in the ATP Synthase Direction against the Force of F1 ATPase in the FoF1 ATP Synthase. *J Biol Chem* **2015**, *290*, 10717-10728.

- (390) Marty, M. T.; Baldwin, A. J.; Marklund, E. G.; Hochberg, G. K.; Benesch, J. L.; Robinson, C. V. Bayesian deconvolution of mass and ion mobility spectra: from binary interactions to polydisperse ensembles. *Anal Chem* **2015**, *87*, 4370-4376.
- (391) Matsuzaki, N.; Handa, T.; Nakano, M. Kinetic and Thermodynamic Analysis of Cholesterol Transfer between Phospholipid Vesicles and Nanodiscs. *J Phys Chem B* **2015**, *119*, 9764-9771.
- (392) Mazhab-Jafari, M. T.; Marshall, C. B.; Smith, M. J.; Gasmi-Seabrook, G. M.; Stathopoulos, P. B.; Inagaki, F.; Kay, L. E.; Neel, B. G.; Ikura, M. Oncogenic and RASopathy-associated K-RAS mutations relieve membrane-dependent occlusion of the effector-binding site. *Proc Natl Acad Sci U S A* **2015**, *112*, 6625-6630.
- (393) McDougle, D. R.; Baylon, J. L.; Meling, D. D.; Kambalyal, A.; Grinkova, Y. V.; Hammernik, J.; Tajkhorshid, E.; Das, A. Incorporation of charged residues in the CYP2J2 F-G loop disrupts CYP2J2-lipid bilayer interactions. *Biochim Biophys Acta* **2015**, *1848*, 2460-2470.
- (394) Meling, D. D.; Zelasko, S.; Kambalyal, A.; Roy, J.; Das, A. Functional role of the conserved i-helix residue I346 in CYP5A1-Nanodiscs. *Biophys Chem* **2015**, *200-201*, 34-40.
- (395) Mineev, K. S.; Goncharuk, S. A.; Kuzmichev, P. K.; Vilar, M.; Arseniev, A. S. NMR Dynamics of Transmembrane and Intracellular Domains of p75NTR in Lipid-Protein Nanodiscs. *Biophys J* **2015**, *109*, 772-782.
- (396) Morgado, L.; Zeth, K.; Burmann, B. M.; Maier, T.; Hiller, S. Characterization of the insertase BamA in three different membrane mimetics by solution NMR spectroscopy. *J Biomol NMR* **2015**, *61*, 333-345.
- (397) Nakatani-Webster, E.; Hu, S. L.; Atkins, W. M.; Catalano, C. E. Assembly and characterization of gp160-nanodiscs: A new platform for biochemical characterization of HIV envelope spikes. *J Virol Methods* **2015**, *226*, 15-24.
- (398) Orban, E.; Proverbio, D.; Haberstock, S.; Dotsch, V.; Bernhard, F. Cell-free expression of G-protein-coupled receptors. *Methods Mol Biol* **2015**, *1261*, 171-195.
- (399) Orban-Glass, I.; Voskoboinikova, N.; Busch, K. B.; Klose, D.; Rickert, C.; Mosslehy, W.; Roder, F.; Wilkens, V.; Piehler, J.; Engelhard, M. et al. Clustering and Dynamics of Phototransducer Signaling Domains Revealed by Site-Directed Spin Labeling Electron Paramagnetic Resonance on SRII/HtrII in Membranes and Nanodiscs. *Biochemistry* **2015**, *54*, 349-362.
- (400) Poulos, S.; Morgan, J. L.; Zimmer, J.; Faham, S. Bicelles coming of age: an empirical approach to bicelle crystallization. *Methods Enzymol* **2015**, *557*, 393-416.
- (401) Raschle, T.; Lin, C.; Jungmann, R.; Shih, W. M.; Wagner, G. Controlled Co-reconstitution of Multiple Membrane Proteins in Lipid Bilayer Nanodiscs Using DNA as a Scaffold. *ACS Chemical Biology* **2015**, Ahead of Print.
- (402) Rossi, D.; Han, J. H.; Jung, W.; Cheon, J.; Son, D. H. Orientational Control of Colloidal 2D-Layered Transition Metal Dichalcogenide Nanodiscs via Unusual Electrokinetic Response. *ACS Nano* **2015**, *9*, 8037-8043.
- (403) Roy, J.; Pondenis, H.; Fan, T. M.; Das, A. Direct Capture of Functional Proteins from Mammalian Plasma Membranes into Nanodiscs. *Biochemistry* **2015**.
- (404) Schesser, B. S.; Ding, Y.; Fujimoto, L. M.; Ring, J. G.; Jain, V.; Ram, S.; Marassi, F. M.; Plano, G. V. *Yersinia pestis* uses the Ail outer membrane protein to recruit vitronectin. *Microbiology (Reading, England)* **2015**.
- (405) Shirzad-Wasei, N.; Oostrum, J. V.; Bovee-Geurts, P. H.; Kusters, L. J.; Bosman, G. J.; DeGrip, W. J. Rapid transfer of overexpressed integral membrane protein from the host membrane into soluble lipid nanodiscs without previous purification. *Biol Chem* **2015**, *396*, 903-916.
- (406) Siuda, I.; Tieleman, D. P. Molecular Models of Nanodiscs. *Journal of Chemical Theory and Computation* **2015**, *11*, 4923-4932.

- (407) Skar-Gislinge, N.; Kynde, S. A.; Denisov, I. G.; Ye, X.; Lenov, I.; Sligar, S. G.; Arleth, L. Small-angle scattering determination of the shape and localization of human cytochrome P450 embedded in a phospholipid nanodisc environment. *Acta crystallographica. Section D, Biological crystallography* **2015**, *71*, 2412-2421.
- (408) Skjerveik, A. A.; Madej, B. D.; Dickson, C. J.; Teigen, K.; Walker, R. C.; Gould, I. R. All-atom lipid bilayer self-assembly with the AMBER and CHARMM lipid force fields. *Chemical Communications (Cambridge, United Kingdom)* **2015**, *51*, 4402-4405.
- (409) Stepien, P.; Polit, A.; Wisniewska-Becker, A. Comparative EPR studies on lipid bilayer properties in nanodiscs and liposomes. *Biochimica et Biophysica Acta, Biomembranes* **2015**, *1848*, 60-66.
- (410) Sun, V.; Armani, A. M. Real-time detection of lipid bilayer assembly and detergent-initiated solubilization using optical cavities. *Applied Physics Letters* **2015**, *106*, 071103/071101-071103/071104.
- (411) Trahey, M.; Li, M. J.; Kwon, H.; Woodahl, E. L.; McClary, W. D.; Atkins, W. M. Applications of Lipid Nanodiscs for the Study of Membrane Proteins by Surface Plasmon Resonance. *Curr Protoc Protein Sci* **2015**, *81*, 29 13 21-29 13 16.
- (412) Vestergaard, M.; Kraft, J. F.; Vosegaard, T.; Thogersen, L.; Schiott, B. Bicelles and Other Membrane Mimics: Comparison of Structure, Properties, and Dynamics from MD Simulations. *J Phys Chem B* **2015**, *119*, 15831-15843.
- (413) Wang, X.; Mu, Z.; Li, Y.; Bi, Y.; Wang, Y. Smaller Nanodiscs are Suitable for Studying Protein Lipid Interactions by Solution NMR. *Protein J* **2015**, *34*, 205-211.
- (414) Wilcox, K. C.; Marunde, M. R.; Das, A.; Velasco, P. T.; Kuhns, B. D.; Marty, M. T.; Jiang, H.; Luan, C. H.; Sligar, S. G.; Klein, W. L. Nanoscale Synaptic Membrane Mimetic Allows Unbiased High Throughput Screen That Targets Binding Sites for Alzheimer's-Associated Abeta Oligomers. *PLoS One* **2015**, *10*, e0125263.
- (415) Yoshiura, C.; Ueda, T.; Kofuku, Y.; Matsumoto, M.; Okude, J.; Kondo, K.; Shiraishi, Y.; Shimada, I. Elucidation of the CCR1- and CCR5-binding modes of MIP-1alpha by application of an NMR spectra reconstruction method to the transferred cross-saturation experiments. *J Biomol NMR* **2015**.
- (416) Zeno, W. F.; Hilt, S.; Risbud, S. H.; Voss, J. C.; Longo, M. L. Spectroscopic Characterization of Structural Changes in Membrane Scaffold Proteins Entrapped within Mesoporous Silica Gel Monoliths. *ACS Appl Mater Interfaces* **2015**, *7*, 8640-8649.
- (417) Zhang, P.; Ye, F.; Bastidas, A. C.; Kornev, A. P.; Wu, J.; Ginsberg, M. H.; Taylor, S. S. An Isoform-Specific Myristylation Switch Targets Type II PKA Holoenzymes to Membranes. *Structure* **2015**, *23*, 1563-1572.
- (418) Agamasu, C.; Ghanam, R. H.; Xu, F.; Sun, Y.; Chen, Y.; Saad, J. S. The Interplay Between Calmodulin and Membrane Interactions with the Pleckstrin Homology Domain of Akt. *J Biol Chem* **2016**.
- (419) Aguiar, A.; Massey, J.; Cappuccio, J. Nanodiscs stabilize Anabaena sensory rhodopsin for transcriptional regulation studies. *Abstracts of Papers, 251st ACS National Meeting & Exposition, San Diego, CA, United States, March 13-17, 2016* **2016**, CHED-633.
- (420) Ashok, Y.; Jaakola, V. P. Nanodisc-Tm: Rapid functional assessment of nanodisc reconstituted membrane proteins by CPM assay. *MethodsX* **2016**, *3*, 212-218.
- (421) Bajaj, R.; Bruce, K. E.; Davidson, A. L.; Rued, B. E.; Stauffacher, C. V.; Winkler, M. E. Biochemical characterization of essential cell division proteins FtsX and FtsE that mediate peptidoglycan hydrolysis by PcsB in *Streptococcus pneumoniae*. *MicrobiologyOpen* **2016**, *5*, 738-752.
- (422) Bao, H.; Goldschen-Ohm, M.; Jeggle, P.; Chanda, B.; Edwardson, J. M.; Chapman, E. R. Exocytotic fusion pores are composed of both lipids and proteins. *Nature Structural & Molecular Biology* **2016**, *23*, 67-73.

- (423) Bartelli, N. L.; Hazelbauer, G. L. Bacterial Chemoreceptor Dynamics: Helical Stability in the Cytoplasmic Domain Varies with Functional Segment and Adaptational Modification. *Journal of Molecular Biology* **2016**.
- (424) Baumann, A.; Kerruth, S.; Fitter, J.; Buldt, G.; Heberle, J.; Schlesinger, R.; Ataka, K. In-Situ Observation of Membrane Protein Folding during Cell-Free Expression. *PLoS One* **2016**, *11*, e0151051.
- (425) Bavishi, K.; Laursen, T.; Martinez, K. L.; Moller, B. L.; Della Pia, E. A. Application of nanodisc technology for direct electrochemical investigation of plant cytochrome P450s and their NADPH P450 oxidoreductase. *Scientific Reports* **2016**, *6*, 29459.
- (426) Bello, O. D.; Auclair, S. M.; Rothman, J. E.; Krishnakumar, S. S. Using ApoE Nanolipoprotein Particles To Analyze SNARE-Induced Fusion Pores. *Langmuir* **2016**, *32*, 3015-3023.
- (427) Bender, G.; Schexnaydre, E. E.; Murphy, R. C.; Uhlson, C.; Newcomer, M. E. Membrane-dependent Activities of Human 15-LOX-2 and its Murine Counterpart: Implications for Murine Models of Atherosclerosis. *J. Biol. Chem.* **2016**, *291*, 19413-19424.
- (428) Benjamin, C. J.; Wright, K. J.; Hyun, S.-H.; Krynski, K.; Yu, G.; Bajaj, R.; Guo, F.; Stauffacher, C. V.; Jiang, W.; Thompson, D. H. Nonfouling NTA-PEG-Based TEM Grid Coatings for Selective Capture of Histidine-Tagged Protein Targets from Cell Lysates. *Langmuir* **2016**, *32*, 551-559.
- (429) Biggs, B. W.; Rouck, J. E.; Kambalyal, A.; Arnold, W.; Lim, C. G.; De Mey, M.; O'Neil-Johnson, M.; Starks, C. M.; Das, A.; Ajikumar, P. K. Orthogonal Assays Clarify the Oxidative Biochemistry of Taxol P450 CYP725A4. *ACS Chemical Biology* **2016**, Ahead of Print.
- (430) Brisbois, C.; Lee, J. Self-assembly of nanodiscs by apolipoprotein C-III. *Abstracts of Papers, 251st ACS National Meeting & Exposition, San Diego, CA, United States, March 13-17, 2016* **2016**, COLL-376.
- (431) Brisbois, C. A.; Lee, J. C. Apolipoprotein C-III Nanodiscs Studied by Site-Specific Tryptophan Fluorescence. *Biochemistry* **2016**, *55*, 4939-4948.
- (432) Cardenas, M. Using neutron scattering in biology: The case for membrane proteins and lipoprotein particles. *Abstracts of Papers, 251st ACS National Meeting & Exposition, San Diego, CA, United States, March 13-17, 2016* **2016**, COLL-492.
- (433) Cleary, S. P.; Thompson, A. M.; Prell, J. S. Fourier Analysis Method for Analyzing Highly Congested Mass Spectra of Ion Populations with Repeated Subunits. *Anal Chem* **2016**, *88*, 6205-6213.
- (434) Crisafi, E.; Pandit, A. Disentangling protein and lipid interactions that control a molecular switch in photosynthetic light harvesting. *Biochimica et Biophysica Acta, Biomembranes* **2016**, Ahead of Print.
- (435) Dastvan, R.; Fischer, A. W.; Mishra, S.; Meiler, J.; Mchaourab, H. S. Protonation-dependent conformational dynamics of the multidrug transporter EmrE. *Proc. Natl. Acad. Sci. USA* **2016**, *113*, 1220-1225.
- (436) Daury, L.; Orange, F.; Taveau, J.-C.; Verchere, A.; Monlezun, L.; Gounou, C.; Marreddy, R. K. R.; Picard, M.; Broutin, I.; Pos, K. M. et al. Tripartite assembly of RND multidrug efflux pumps. *Nature Communications* **2016**, *7*, 10731.
- (437) Denisov, I. G.; Mak, P.J., Grinkova, Y.V., Bastien, D., Bérubé, G., Sligar, S.G., Kincaid, J.R. The use of isomeric testosterone dimers to explore allosteric effects in substrate binding to cytochrome P450 CYP3A4. *J Inorg Biochem* **2016**.
- (438) Denisov, I. G.; Sligar, S. G. Nanodiscs for structural and functional studies of membrane proteins. *Nature Structural & Molecular Biology* **2016**, *23*, 481-486.
- (439) DeVree, B. T.; Mahoney, J. P.; Velez-Ruiz, G. A.; Rasmussen, S. G.; Kuszak, A. J.; Edwald, E.; Fung, J. J.; Manglik, A.; Masureel, M.; Du, Y. et al. Allosteric coupling from G protein to the agonist-binding pocket in GPCRs. *Nature* **2016**, *535*, 182-186.

- (440) Dominik, P. K.; Borowska, M. T.; Dalmas, O.; Kim, S. S.; Perozo, E.; Keenan, R. J.; Kossiakoff, A. A. Conformational Chaperones for Structural Studies of Membrane Proteins Using Antibody Phage Display with Nanodiscs. *Structure* **2016**, *24*, 300-309.
- (441) Droege, K.; Keithly, M.; Prage, E.; Sanders, C.; Armstrong, R. Elucidation of lipoxygenase membrane association via hydrogen deuterium exchange. *Abstracts of Papers, 251st ACS National Meeting & Exposition, San Diego, CA, United States, March 13-17, 2016* **2016**, BIOL-118.
- (442) Duggal, R.; Liu, Y.; Gregory, M. C.; Denisov, I. G.; Kincaid, J. R.; Sligar, S. G. Evidence that cytochrome b5 acts as a redox donor in CYP17A1 mediated androgen synthesis. *Biochemical and Biophysical Research Communications* **2016**, *477*, 202-208.
- (443) Eichmann, C.; Campioni, S.; Kowal, J.; Maslennikov, I.; Gerez, J.; Liu, X.; Verasdonck, J.; Nespovitaya, N.; Choe, S.; Meier, B. H. et al. Preparation and Characterization of Stable α -Synuclein Lipoprotein Particles. *J. Biol. Chem.* **2016**, *291*, 8516-8527.
- (444) Eichmann, C.; Kumari, P.; Riek, R. High-Density Lipoprotein-Like Particle Formation of Synuclein Variants. *FEBS Lett* **2016**.
- (445) Eismann, S.; Endres, R. G. Protein connectivity in chemotaxis receptor complexes. *arXiv.org, e-Print Archive, Quantitative Biology* **2016**, 1-23.
- (446) Fischermeier, E.; Pospisil, P.; Sayed, A.; Hof, M.; Solioz, M.; Fahmy, K. Dipolar Relaxation Dynamics at the Active Site of an ATPase Regulated by Membrane Lateral Pressure. *Angew Chem Int Ed Engl* **2016**.
- (447) Frauenfeld, J.; Loving, R.; Armache, J. P.; Sonnen, A. F.; Guettou, F.; Moberg, P.; Zhu, L.; Jegerschold, C.; Flayhan, A.; Briggs, J. A. et al. A saposin-lipoprotein nanoparticle system for membrane proteins. *Nature Methods* **2016**, *13*, 345-351.
- (448) Gao, Y.; Cao, E.; Julius, D.; Cheng, Y. TRPV1 structures in nanodiscs reveal mechanisms of ligand and lipid action. *Nature* **2016**, *534*, 347-351.
- (449) Gatsogiannis, C.; Merino, F.; Prumbaum, D.; Roderer, D.; Leidreiter, F.; Meusch, D.; Raunser, S. Membrane insertion of a Tc toxin in near-atomic detail. *Nature Structural & Molecular Biology* **2016**.
- (450) Goricanec, D.; Stehle, R.; Egloff, P.; Grigoriu, S.; Pluckthun, A.; Wagner, G.; Hagn, F. Conformational dynamics of a G-protein alpha subunit is tightly regulated by nucleotide binding. *Proc. Natl. Acad. Sci. USA* **2016**, *113*, E3629-3638.
- (451) Gregersen, J. L.; Fedosova, N. U.; Nissen, P.; Boesen, T. Reconstitution of Na(+),K(+)-ATPase in Nanodiscs. *Methods Mol Biol* **2016**, *1377*, 403-409.
- (452) Hansen, R. W.; Wang, X.; Golab, A.; Bornert, O.; Oswald, C.; Wagner, R.; Martinez, K. L. Functional stability of the human kappa opioid receptor reconstituted in nanodiscs revealed by a time-resolved scintillation proximity assay. *PLoS One* **2016**, *11*, e0150658/0150651-e0150658/0150618.
- (453) Henrich, E.; Ma, Y.; Engels, I.; Munch, D.; Otten, C.; Schneider, T.; Henrichfreise, B.; Sahl, H. G.; Dotsch, V.; Bernhard, F. Lipid Requirements for the Enzymatic Activity of MraY Translocases and in vitro Reconstitution of Lipid II Synthesis Pathway. *J Biol Chem* **2016**, *291*, 2535-2546.
- (454) Her, C.; Filoti, D. I.; McLean, M. A.; Sligar, S. G.; Alexander Ross, J. B.; Steele, H.; Laue, T. M. The Charge Properties of Phospholipid Nanodiscs. *Biophys. J.* **2016**, *11*, 989-998.
- (455) Hoernke, M.; Tassler, S.; Kokschi, B.; Brezesinski, G. Membrane binding of peptide models for early stages of amyloid formation: Lipid packing counts more than charge. *Chemistry and Physics of Lipids* **2016**, *198*, 28-38.
- (456) Hoi, K. K.; Robinson, C. V.; Marty, M. T. Unraveling the Composition and Behavior of Heterogeneous Lipid Nanodiscs by Mass Spectrometry. *Analytical Chemistry (Washington, DC, United States)* **2016**, *88*, 6199-6204.

- (457) Hornschemeyer, P.; Liss, V.; Heermann, R.; Jung, K.; Hunke, S. Interaction Analysis of a Two-Component System Using Nanodiscs. *PLoS One* **2016**, *11*, e0149187.
- (458) Kahsai, A. W.; Wisler, J. W.; Lee, J.; Ahn, S.; Cahill III, T. J.; Dennison, S. M.; Staus, D. P.; Thomsen, A. R.; Anasti, K. M.; Pani, B. et al. Conformationally selective RNA aptamers allosterically modulate the beta2-adrenoceptor. *Nat. Chem. Biol.* **2016**.
- (459) Kariyazono, H.; Nadai, R.; Miyajima, R.; Takechi-Haraya, Y.; Baba, T.; Shigenaga, A.; Okuhira, K.; Otaka, A.; Saito, H. Formation of stable nanodiscs by bihelical apolipoprotein A-I mimetic peptide. *J Pept Sci* **2016**, *22*, 116-122.
- (460) Kedrov, A.; Wickles, S.; Crevenna, A. H.; van der Sluis, E. O.; Buschauer, R.; Berninghausen, O.; Lamb, D. C.; Beckmann, R. Structural Dynamics of the YidC:Ribosome Complex during Membrane Protein Biogenesis. *Cell Rep* **2016**, *17*, 2943-2954.
- (461) Koch, S.; de Wit, J. G.; Vos, I.; Birkner, J. P.; Gordiichuk, P.; Herrmann, A.; van Oijen, A. M.; Driessen, A. J. Lipids Activate SecA for High Affinity Binding to the SecYEG Complex. *J Biol Chem* **2016**, *291*, 22534-22543.
- (462) Kondo, H.; Ikeda, K.; Nakano, M. Formation of size-controlled, denaturation-resistant lipid nanodiscs by an amphiphilic self-polymerizing peptide. *Colloids and Surfaces, B: Biointerfaces* **2016**, *146*, 423-430.
- (463) Kumar, R. B.; Zhu, L.; Idborg, H.; Radmark, O.; Jakobsson, P. J.; Rinaldo-Matthis, A.; Hebert, H.; Jegerschold, C. Structural and Functional Analysis of Calcium Ion Mediated Binding of 5-Lipoxygenase to Nanodiscs. *PLoS One* **2016**, *11*, e0152116.
- (464) Laguerre, A.; Loehr, F.; Henrich, E.; Hoffmann, B.; Abdul-Manan, N.; Connolly, P. J.; Perozo, E.; Moore, J. M.; Bernhard, F.; Doetsch, V. From Nanodiscs to Isotropic Bicelles: A Procedure for Solution Nuclear Magnetic Resonance Studies of Detergent-Sensitive Integral Membrane Proteins. *Structure* **2016**, *24*, 1830-1841.
- (465) Lalefar, N. R.; Witkowski, A.; Simonsen, J. B.; Ryan, R. O. Wnt3a nanodisks promote ex vivo expansion of hematopoietic stem and progenitor cells. *J Nanobiotechnology* **2016**, *14*, 66.
- (466) Larsen, A. N.; Sorensen, K. K.; Johansen, N. T.; Martel, A.; Kirkensgaard, J. J.; Jensen, K. J.; Arleth, L.; Midtgaard, S. R. Dimeric peptides with three different linkers self-assemble with phospholipids to form peptide nanodiscs that stabilize membrane proteins. *Soft Matter* **2016**, *12*, 5937-5949.
- (467) Lee, C.-M.; He, C. H.; Nour, A. M.; Zhou, Y.; Ma, B.; Park, J. W.; Kim, K. H.; Cruz, C. D.; Sharma, L.; Nasr, M. L. et al. IL-13R α 2 uses TMEM219 in chitinase 3-like-1-induced signalling and effector responses. *Nature Communications* **2016**, *7*, 12752.
- (468) Lee, H.; Shingler, K. L.; Organtini, L. J.; Ashley, R. E.; Makhov, A. M.; Conway, J. F.; Hafenstein, S. The novel asymmetric entry intermediate of a picornavirus captured with nanodiscs. *Sci. Adv.* **2016**, *2*, e1501929.
- (469) Li, B.; Makino, S. I.; Beebe, E. T.; Urano, D.; Aceti, D. J.; Misenheimer, T. M.; Peters, J.; Fox, B. G.; Jones, A. M. Cell-free translation and purification of Arabidopsis thaliana regulator of G signaling 1 protein. *Protein Expr. Purif.* **2016**, *126*, 33-41.
- (470) Li, F.; Tiwari, N.; Rothman, J. E.; Pincet, F. Kinetic barriers to SNAREpin assembly in the regulation of membrane docking/priming and fusion. *Proc. Natl. Acad. Sci. USA* **2016**, ASAP.
- (471) Li, J.; Fan, X.; Kitova, E. N.; Zou, C.; Cairo, C. W.; Eugenio, L.; Ng, K. K. S.; Xiong, Z. J.; Prive, G. G.; Klassen, J. S. Screening Glycolipids Against Proteins in vitro using Picodiscs and Catch-and-Release Electrospray Ionization Mass Spectrometry. *Analytical Chemistry (Washington, DC, United States)* **2016**, *88*, 4742-4750.
- (472) Lim, S. J.; McDougle, D. R.; Zahid, M. U.; Ma, L.; Das, A.; Smith, A. M. Lipoprotein Nanoplatelets: Brightly Fluorescent, Zwitterionic Probes with Rapid Cellular Entry. *Journal of the American Chemical Society* **2016**, *138*, 64-67.

- (473) Lu, Y.; Zhang, H.; Niedzwiedzki, D. M.; Jiang, J.; Blankenship, R. E.; Gross, M. L. Fast photochemical oxidation of proteins (FPOP) maps the topology of intrinsic membrane proteins: light-harvesting complex 2 (LH2) in a Nanodisc. *Anal Chem* **2016**.
- (474) Ma, G.; Guan, Y.; Wang, S.; Xu, H.; Tao, N. Study Small Molecule-Membrane Protein Binding Kinetics with Nanodisc and Charge Sensitive Optical Detection. *Anal. Chem. (Washington, DC, U. S.)* **2016**, Ahead of Print.
- (475) Martens, C.; Stein, R. A.; Masureel, M.; Roth, A.; Mishra, S.; Dawaliby, R.; Konijnenberg, A.; Sobott, F.; Govaerts, C.; McHaourab, H. S. Lipids modulate the conformational dynamics of a secondary multidrug transporter. *Nature Structural & Molecular Biology* **2016**, *23*, 744-751.
- (476) Marty, M. T.; Hoi, K. K.; Gault, J.; Robinson, C. V. Probing the Lipid Annular Belt by Gas-Phase Dissociation of Membrane Proteins in Nanodiscs. *Angewandte Chemie, International Edition* **2016**, *55*, 550-554.
- (477) Marty, M. T.; Hoi, K. K.; Robinson, C. V. Interfacing Membrane Mimetics with Mass Spectrometry. *Acc Chem Res* **2016**, *49*, 2459-2467.
- (478) Matthies, D.; Dalmas, O.; Borgnia, Mario J.; Dominik, Pawel K.; Merk, A.; Rao, P.; Reddy, Bharat G.; Islam, S.; Bartesaghi, A.; Perozo, E. et al. Cryo-EM Structures of the Magnesium Channel CorA Reveal Symmetry Break upon Gating. *Cell* **2016**, *164*, 747-756.
- (479) McClary, W. D.; Sumida, J. P.; Scian, M.; Paco, L.; Atkins, W. M. Membrane Fluidity Modulates Thermal Stability and Ligand Binding of Cytochrome P4503A4 in Lipid Nanodiscs. *Biochemistry* **2016**, *55*, 6258-6268.
- (480) Mills, A.; Le, H. T.; Duong, F. TonB-dependent ligand trapping in the BtuB transporter. *Biochim Biophys Acta* **2016**, *1858*, 3105-3112.
- (481) Moses, M. E.; Hedegard, P.; Hatzakis, N. S. Quantification of Functional Dynamics of Membrane Proteins Reconstituted in Nanodiscs Membranes by Single Turnover Functional Readout. *Methods Enzymol* **2016**, *581*, 227-256.
- (482) Murray, S. C.; Gillard, B. K.; Ludtke, S. J.; Pownall, H. J. Direct Measurement of the Structure of Reconstituted High-Density Lipoproteins by Cryo-EM. *Biophys J* **2016**, *110*, 810-816.
- (483) Ni, T.; Kalli, A.; Naughton, F.; Yates, L.; Naneh, O.; Kozorog, M.; Anderluh, G.; Sansom, M.; Gilbert, R. Structure and lipid binding properties of the kindlin-3 pleckstrin homology domain. *Biochem J* **2016**.
- (484) Pan, L.; Segrest, J. P. Computational studies of plasma lipoprotein lipids. *Biochim. Biophys. Acta* **2016**, *1858*, 2401-2420.
- (485) Parmar, M. J.; Lousa Cde, M.; Muench, S. P.; Goldman, A.; Postis, V. L. Artificial membranes for membrane protein purification, functionality and structure studies. *Biochem Soc Trans* **2016**, *44*, 877-882.
- (486) Penny, W. M.; Steele, H. B.; Ross, J. B.; Palmer, C. P. Phospholipid bilayer affinities and solvation characteristics by electrokinetic chromatography with a nanodisc pseudostationary phase. *Electrophoresis* **2016**.
- (487) Petrache, A. I.; Machin, D. C.; Williamson, D. J.; Webb, M. E.; Beales, P. A. Sortase-mediated labelling of lipid nanodiscs for cellular tracing. *Mol. Biosyst.* **2016**, *12*, 1760-1763.
- (488) Plucinski, L.; Ranjan Gartia, M.; Arnold, W. R.; Ameen, A.; Chang, T.-W.; Hsiao, A.; Logan Liu, G.; Das, A. Substrate binding to cytochrome P450-2J2 in Nanodiscs detected by nanoplasmonic Lycurgus cup arrays. *Biosensors & Bioelectronics* **2016**, *75*, 337-346.
- (489) Reichart, T. M.; Baksh, M. M.; Rhee, J.-K.; Fiedler, J. D.; Sligar, S. G.; Finn, M. G.; Zwick, M. B.; Dawson, P. E. Trimerization of the HIV Transmembrane Domain in Lipid Bilayers Modulates Broadly Neutralizing Antibody Binding. *Angewandte Chemie, International Edition* **2016**, Ahead of Print.

- (490) Rues, R. B.; Henrich, E.; Boland, C.; Caffrey, M.; Bernhard, F. Cell-Free Production of Membrane Proteins in Escherichia coli Lysates for Functional and Structural Studies. *Methods Mol Biol* **2016**, *1432*, 1-21.
- (491) Rues, R.-B.; Doetsch, V.; Bernhard, F. Co-translational formation and pharmacological characterization of beta1-adrenergic receptor/nanodisc complexes with different lipid environments. *Biochim. Biophys. Acta* **2016**, *1858*, 1306-1316.
- (492) Sadler, E. E.; Kapanidis, A. N.; Tucker, S. J. Solution-Based Single-Molecule FRET Studies of K(+) Channel Gating in a Lipid Bilayer. *Biophys. J.* **2016**, *110*, 2663-2670.
- (493) Samanta, D.; Widom, J.; Borbat, P. P.; Freed, J. H.; Crane, B. R. Bacterial Energy Sensor Aer Modulates the Activity of the Chemotaxis Kinase CheA Based on the Redox State of the Flavin Cofactor. *J Biol Chem* **2016**, *291*, 25809-25814.
- (494) Sharma, S.; Lindau, M. The mystery of the fusion pore. *Nature Structural & Molecular Biology* **2016**, *23*, 5-6.
- (495) Srinivasan, L.; Baars, T. L.; Fendler, K.; Michel, H. Functional characterization of solute carrier (SLC) 26/sulfate permease (SulP) proteins in membrane mimetic systems. *Biochimica et Biophysica Acta, Biomembranes* **2016**, Ahead of Print.
- (496) Stam, N. J.; Wilkens, S. Structure of Nanodisc Reconstituted Vacuolar ATPase Proton Channel: Definition of the Interaction of Rotor and Stator and Implications for Enzyme Regulation by Reversible Dissociation. *J Biol Chem* **2016**.
- (497) Thaxton, C. S.; Rink, J. S.; Naha, P. C.; Cormode, D. P. Lipoproteins and lipoprotein mimetics for imaging and drug delivery. *Advanced Drug Delivery Reviews* **2016**, Ahead of Print.
- (498) Thomaier, M.; Gremer, L.; Dammers, C.; Fabig, J.; Neudecker, P.; Willbold, D. High-Affinity Binding of Monomeric but Not Oligomeric Amyloid-beta to Ganglioside GM1 Containing Nanodiscs. *Biochemistry* **2016**, *55*, 6662-6672.
- (499) Tian, Y.; Schwieters, C. D.; Opella, S. J.; Marassi, F. M. High quality NMR structures: a new force field with implicit water and membrane solvation for Xplor-NIH. *J Biomol NMR* **2016**.
- (500) Treuheit, N. A.; Redhair, M.; Kwon, H.; McClary, W. D.; Guttman, M.; Sumida, J. P.; Atkins, W. M. Membrane Interactions, Ligand-dependent Dynamics, and Stability of Cytochrome P4503A4 in Lipid Nanodiscs. *Biochemistry* **2016**.
- (501) Trinh, M. N.; Lu, F.; Li, X.; Das, A.; Liang, Q.; De Brabander, J. K.; Brown, M. S.; Goldstein, J. L. Triazoles inhibit cholesterol export from lysosomes by binding to NPC1. *Proc Natl Acad Sci U S A* **2016**.
- (502) Viegas, A.; Viennet, T.; Etzkorn, M. The power, pitfalls and potential of the nanodisc system for NMR-based studies. *Biological Chemistry* **2016**, *397*, 1335-1354.
- (503) Viegas, A.; Viennet, T.; Yu, T.-Y.; Schumann, F.; Bermel, W.; Wagner, G.; Etzkorn, M. UTOPIA NMR: activating unexploited magnetization using interleaved low-gamma detection. *Journal of Biomolecular NMR* **2016**, Ahead of Print.
- (504) Volz, P.; Krause, N.; Balke, J.; Schneider, C.; Walter, M.; Schneider, F.; Schlesinger, R.; Alexiev, U. Light and pH-induced changes in structure and accessibility of transmembrane helix B and its immediate environment in channelrhodopsin-2. *J. Biol. Chem.* **2016**, *291*, 17382-17393.
- (505) Wade, J. H.; Bailey, R. C. Applications of Optical Microcavity Resonators in Analytical Chemistry. *Annu. Rev. Anal. Chem.* **2016**, *9*, 1-25.
- (506) Wu, Z.; Auclair, S. M.; Bello, O.; Vennekate, W.; Dudzinski, N. R.; Krishnakumar, S. S.; Karatekin, E. Nanodisc-cell fusion: control of fusion pore nucleation and lifetimes by SNARE protein transmembrane domains. *Sci Rep* **2016**, *6*, 27287.
- (507) Xia, Y.; Charubin, K.; Heberle, F.; Marquardt, D.; Katsaras, J.; Tian, J.; Cheng, X.; Nieh, M.-P. Spontaneous lipid transfer and its implication of membrane lateral organization and structural

- stability. *Abstracts of Papers, 251st ACS National Meeting & Exposition, San Diego, CA, United States, March 13-17, 2016* **2016**, COLL-9.
- (508) Xu, L.; Ojemyr, L. N.; Bergstrand, J.; Brzezinski, P.; Widengren, J. Protonation Dynamics on Lipid Nanodiscs: Influence of the Membrane Surface Area and External Buffers. *Biophys. J.* **2016**, *110*, 1993-2003.
- (509) Xu, X.-P.; Kim, E.; Swift, M.; Smith, J. W.; Volkmann, N.; Hanein, D. Three-dimensional structures of full-length, membrane-embedded human α IIb β 3 integrin complexes. *Biophys. J.* **2016**, *110*, 798-809.
- (510) Yao, Y.; Nisan, D.; Antignani, A.; Barnes, A.; Tjandra, N.; Youle, R. J.; Marassi, F. M.; Fujimoto, L. M. Characterization of the membrane-inserted C-terminus of cytoprotective BCL-XL. *Protein Expression and Purification* **2016**, *122*, 56-63.
- (511) Ye, X.; McLean, M. A.; Sligar, S. G. Conformational equilibrium of talin is regulated by anionic lipids. *Biochim. Biophys. Acta* **2016**, *1858*, 1833-1840.
- (512) Ye, X.; McLean, M. A.; Sligar, S. G. PIP2 Modulates the Affinity of Talin-1 for Phospholipid Bilayers and Activates its Auto- Inhibited Form. *Biochemistry* **2016**.
- (513) Yeh, V.; Hsin, Y.; Lee, T.-Y.; Chan, J. C. C.; Yu, T.-Y.; Chu, L.-K. Lipids Influence the Proton Pump Activity of Photosynthetic Protein Embedded in Nanodiscs. *RSC Advances* **2016**, ASAP.
- (514) Yin, L.; Kim, J.; Shin, Y.-K. Complexin splits the membrane-proximal region of a single SNAREpin. *Biochemical Journal* **2016**, *473*, 2219-2224.
- (515) Zhang, M.; Huang, R.; Ackermann, R.; Im, S.-C.; Waskell, L.; Schwendeman, A.; Ramamoorthy, A. Reconstitution of the Cytb5-CytP450 Complex in Nanodiscs for Structural Studies using NMR Spectroscopy. *Angewandte Chemie, International Edition* **2016**, *55*, 4497-4499.
- (516) Zoghbi, M. E.; Cooper, R. S.; Altenberg, G. A. The lipid bilayer modulates the structure and function of an ATP-binding cassette exporter. *J Biol Chem* **2016**.
- (517) Crisafi, E.; Pandit, A. Disentangling protein and lipid interactions that control a molecular switch in photosynthetic light harvesting. *Biochim Biophys Acta* **2017**, *1859*, 40-47.
- (518) Frey, L.; Lakomek, N. A.; Riek, R.; Bibow, S. Micelles, Bicelles, and Nanodiscs: Comparing the Impact of Membrane Mimetics on Membrane Protein Backbone Dynamics. *Angew Chem Int Ed Engl* **2017**, *56*, 380-383.
- (519) Nasr, M. L.; Baptista, D.; Strauss, M.; Sun, Z. J.; Grigoriu, S.; Huser, S.; Pluckthun, A.; Hagn, F.; Walz, T.; Hogle, J. M. et al. Covalently circularized nanodiscs for studying membrane proteins and viral entry. *Nat Methods* **2017**, *14*, 49-52.